

GPS Observation Log

Station Name: CHRISCRK (Session 2)		Date: 09/07/04	Day Number: 251	4-Char ID:		
Location: Promontory Butte USGS Quad, Gila County, Arizona		Observer: J Scott <i>Allen</i>	Obs. Agency: GILA COUNTY			
Latitude: 34 18' 54.3" N		Longitude: 111 01' 37.6 W		Height:		
Session Start: UTC / Local 1716 / 10:16 AM		Scheduled Start: UTC / Local 2215 / 03:15 PM		Recording Interval: (Seconds) 15		
Session End: UTC / Local 1945 / 12:45 PM		Scheduled End: UTC / Local 2215 / 03:15 PM		Elevation Mask: (Degrees) 10°		
Antenna Model Number: 4800		Receiver Model Number: 4800		Antenna Mount: (Check one)		
Antenna Serial Number: 0220165440		Receiver Serial Number: 0220165440		Fixed Height Pole: <input checked="" type="checkbox"/> X		
				Slip Leg Tripod: _____		
Antenna Manufacturer: Trimble	Antenna Height (see back of form)		Session Start:		Session End:	
	A = Datum point to top of Tripod (tripod height)		Meters	Feet	Meters	Feet
	B = Additional Offset to ARP (Tribrach, etc.)		2.000		2.000	
Receiver Manufacturer: Trimble	H = A + B (Antenna Height) = Datum Point to ARP		0		0	
			2.000		2.000	


>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)

Gila Tripod 2/Receiver 2

TRIPOD D31



Log Checked By:

GPS Observation Log


Station Name: CLINE (SESSION 2)		Date: 09/07/04	Day Number: 251	4-Char ID:
Location: BUZZARD ROOST MESA USGS QUAD, GILA COUNTY ARIZONA		Observer: R BUNGER	Obs. Agency: GILA COUNTY	
Latitude: 34° 04' 45.49" N		Longitude: 111° 02' 26.62" W		Height:
Session Start: UTC / Local 1717 / 10:17		Scheduled Start: UTC / Local 1715 / 10:15 AM		Recording Interval: (Seconds) 15
Session End: UTC / Local 1945 / 12:45 PM		Scheduled End: UTC / Local 1945 / 12:45		Elevation Mask: (Degrees) 10°
Antenna Model Number: 4800		Receiver Model Number: 4800		Antenna Mount: (Check one) Fixed Height Pole: <input checked="" type="checkbox"/> X Slip Leg Tripod: <input type="checkbox"/>
Antenna Serial Number: 0220165441		Receiver Serial Number: 0220165441		
Antenna Manufacturer: TRIMBLE	Antenna Height (see back of form) A = Datum point to top of Tripod (tripod height)		Session Start: Meters Feet	Session End: Meters Feet
	1.800		1.800	1.800
Receiver Manufacturer: TRIMBLE	B = Additional Offset to ARP (Tribrach, etc.)			
	H = A + B (Antenna Height) = Datum Point to ARP		1.800	1.800

>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									



Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)

**GILA TRIPOD #2 / G.C
RECEIVER #1
TRIMBLE
4800**



Log
Checked
By:

GPS Observation Log

Station Name: COLCORD (Session 2)		Date: 09/07/04	Day Number: 251	4-Char ID:						
Location: Woods Canyon USGS Quad, Gila County, Arizona		Observer: J Ortega <i>(Des. Wilson)</i>	Obs. Agency: GILA COUNTY							
Latitude: 34 16' 03.6" N		Longitude: 110 53' 47.0 W		Height:						
Session Start: UTC / Local 1020 / 10:20 A.M.		Scheduled Start: UTC / Local 2215 / 03:15 PM <i>1015 / 10:15 A.M.</i>		Recording Interval: (Seconds) 15						
Session End: UTC / Local 1245 / 12:45 P.M.		Scheduled End: UTC / Local 2215 / 03:15 PM <i>1245 / 12:45 P.M.</i>		Elevation Mask: (Degrees) 10°						
Antenna Model Number: 701975-01A +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)						
Antenna Serial Number: 6820		Receiver Serial Number: ZE120022810		Fixed Height Pole: <input checked="" type="checkbox"/> X						
		Slip Leg Tripod: _____								
Antenna Manufacturer: Ashtech	Antenna Height (see back of form)		Session Start:		Session End:					
			Meters	Feet	Meters	Feet				
	A = Datum point to top of Tripod (tripod height)		2.0M		2.000					
Receiver Manufacturer: Ashtech	B = Additional Offset to ARP (Tribrach, etc.)		0							
	H = A + B (Antenna Height) = Datum Point to ARP		2.0M.		2.000					
>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<										
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F	C	Wet- Bulb Temp. F	C	Rel. % Humidity	Atm. Pressure Inches	Millibar	Weather Codes
Part Number:	Start	1020								00000 (busty winds)
Serial Number:	Middle	1130								00000 (busty)
Psychrometer	End	1245								00000 (busty)
	Average of Readings									
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? Y / N (Circle One) NGS Tripod : 103 N1										
 								Log Checked By:		

GPS Observation Log

Station Name: EDJOY (Session 2) PID:	Date: 09/07/04	Day Number: 251	4-Char ID:
---	---------------------------------	----------------------------------	-------------------

Location: Diamond Butte USGS Quad, Gila County, Arizona	Observer: G Tamietti	Obs. Agency: GILA COUNTY
--	---------------------------------------	---

Latitude: 34 07' 39.4" N	Longitude: 111 02' 14.9 W	Height:
---	--	----------------

Session Start: UTC / Local 1716 / 10:16	Scheduled Start: UTC / Local 2215 / 03:15 PM 10:15	Recording Interval: (Seconds) 15
--	---	---

Session End: UTC / Local 1945 / 12:45	Scheduled End: UTC / Local 2215 / 03:15 PM 12:45	Elevation Mask: (Degrees) 10°
--	---	--

Antenna Model Number: Hiper+ GGD	Receiver Model Number: Hiper+ GGD	Antenna Mount: (Check one)
---	--	-----------------------------------

Antenna Serial Number: 251-0539	Receiver Serial Number: 251-0539	Fixed Height Pole: <input checked="" type="checkbox"/> X
		Slip Leg Tripod: _____


Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Topcon	A = Datum point to top of Tripod (tripod height)	2.004		2.004	
	B = Additional Offset to ARP (Tribrach, etc.)	1		0	
	H = A + B (Antenna Height) = Datum Point to ARP	2.004		2.004	

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start	10:16 AM								00000
Serial Number:	Middle									
Psychrometer	End	12:45								00100
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)

Gila Tripod 5



Log Checked By:

GPS Observation Log

Station Name: ELLENWOOD (Session 2) PID:	Date: 09/07/04	Day Number: 251	4-Char ID:
---	--------------------------	---------------------------	------------

Location: Diamond Point USGS Quad, Gila County, Arizona	Observer: E-Wisdom <i>Allison Thomas</i>	Obs. Agency: GILA COUNTY
---	---	------------------------------------

Latitude: 34 12' 47.2" N	Longitude: 111 01' 28.6 W	Height:
------------------------------------	-------------------------------------	---------

Session Start: UTC / Local <i>10:16 A.M. /</i>	Scheduled Start: UTC / Local 2215 / 03:15 PM 1015	Recording Interval: (Seconds) 15
---	---	--

Session End: UTC / Local <i>12:47 P.M. /</i>	Scheduled End: UTC / Local 2215 / 03:15 PM 1245	Elevation Mask: (Degrees) 10°
---	---	---

Antenna Model Number: 4800 <i>701975.01A+GP</i>	Receiver Model Number: 4800 <i>Z Extreme</i>	Antenna Mount: (Check one)
--	---	----------------------------

Antenna Serial Number: 0220244639 <i>6890</i>	Receiver Serial Number: 0220244639 <i>3402</i>	Fixed Height Pole: <input checked="" type="checkbox"/> <u>X</u>
		Slip Leg Tripod: _____

Antenna Manufacturer: <i>ASH</i> Trimble <i>ASH</i>	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
<i>3402</i>	A = Datum point to top of Tripod (tripod height)	<i>2.000</i>		<i>2.000</i>	2.000
<i>6890</i>	B = Additional Offset to ARP (Tribrach, etc.)	<i>-</i>		<i>-</i>	
<i>ASH</i>	H = A + B (Antenna Height) = Datum Point to ARP	<i>2.000</i>		<i>2.000</i>	


>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet-Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									<i>00102</i>
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)



Gila Tripod 3/Receiver 3

NAS T15 *pretty breezy*
Fixed 21000 *ASH 3403*



Log Checked By:

GPS Observation Log

Station Name: GORDONCYN (Session 2)		Date: 09/07/04	Day Number: 251	4-Char ID:						
Location: Woods Canyon USGS Quad, Gila County, Arizona		Observer: J Ortega	Obs. Agency: GILA COUNTY							
Latitude: 34 17' 20.9" N		Longitude: 110 56' 04.0 W		Height:						
Session Start: UTC / Local 1546 / 10:46		Scheduled Start: UTC / Local 2215 / 03:15 PM		Recording Interval: (Seconds) 15						
Session End: UTC / Local 1945 / 12:45		Scheduled End: UTC / Local 2215 / 03:15 PM		Elevation Mask: (Degrees) 10°						
Antenna Model Number: 701975-01A +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)						
Antenna Serial Number: 6863		Receiver Serial Number: ZE120023229		Fixed Height Pole: <input checked="" type="checkbox"/> X						
				Slip Leg Tripod: _____						
Antenna Manufacturer: Ashtech	Antenna Height (see back of form)		Session Start:		Session End:					
			Meters	Feet	Meters	Feet				
	A = Datum point to top of Tripod (tripod height)		2.002		2.002					
Receiver Manufacturer: Ashtech	B = Additional Offset to ARP (Tribrach, etc.)		0		0					
	H = A + B (Antenna Height) = Datum Point to ARP		2.002		2.002					
>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<										
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F	C	Wet- Bulb Temp. F	C	Rel. % Humidity	Atm. Pressure Inches	Millibar	Weather Codes
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? Y / N (Circle One) NGS Tripod : NGS-R /Receiver Tripod #6 N6										
 								Log Checked By:		

GPS Observation Log

Station Name: HAIGLER (Session 2) PID:	Date: 09/07/04	Day Number: 251	4-Char ID:
---	---------------------------------	----------------------------------	-------------------

Location: Oxbow MT USGS Quad, Gila County, Arizona	Observer: A Thomas <i>Ed Wisdom</i>	Obs. Agency: GILA COUNTY
---	---	---

Latitude: 34 12' 22.2" N	Longitude: 110 58' 18.7 W	Height: 1.802
---	--	--------------------------------

Session Start: UTC / Local 1718 / 10:18	Scheduled Start: UTC / Local 2215 / 03:15 PM	Recording Interval: (Seconds) 15
--	---	---

Session End: UTC / Local 1945 / 12:45	Scheduled End: UTC / Local 2215 / 03:15 PM	Elevation Mask: (Degrees) 10°
--	---	--

Antenna Model Number: 701975-01A +GP	Receiver Model Number: ZExtreme	Antenna Mount: (Check one)
---	--	-----------------------------------

Antenna Serial Number: 6931 ✓	Receiver Serial Number: ZE120023406 ✓	Fixed Height Pole: <input checked="" type="checkbox"/> X
		Slip Leg Tripod: <input checked="" type="checkbox"/>

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech ✓ Ashtech 3406	A = Datum point to top of Tripod (tripod height)	1.802		1.802	
	B = Additional Offset to ARP (Tribrach, etc.)	0		0	
	H = A + B (Antenna Height) = Datum Point to ARP	1.802		1.802	

>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
Average of Readings										

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)
NGS Tripod : 105 *GB*



Log Checked By:

GPS Observation Log

Station Name: M6 (Session 2) PID: ES0217	Date: 09/07/04	Day Number: 251	4-Char ID:
--	--------------------------	---------------------------	------------

Location: OW Point USGS Quad, Gila County, Arizona	Observer: T. Homan <i>Smakry</i>	Obs. Agency: GILA COUNTY
--	---	------------------------------------

Latitude: 34 19' 20.83" N	Longitude: 110 45' 08.71" W	Height:
-------------------------------------	---------------------------------------	---------

Session Start: UTC / Local 1742 / 1042	Scheduled Start: UTC / Local 2215 / 03:15 PM 1015	Recording Interval: (Seconds) 15
--	---	--

Session End: UTC / Local 2007 / 1307	Scheduled End: UTC / Local 2215 / 03:15 PM 1245	Elevation Mask: (Degrees) 10°
--	---	---

Antenna Model Number: 701975-01B +GP	Receiver Model Number: ZExtreme	Antenna Mount: (Check one)
--	---	----------------------------

Antenna Serial Number: 7034	Receiver Serial Number: ZE120023901	Fixed Height Pole: <input checked="" type="checkbox"/> X
		Slip Leg Tripod: _____


Antenna Manufacturer: Ashtech	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
	A = Datum point to top of Tripod (tripod height)	2.000		2.000	
Receiver Manufacturer: Ashtech	B = Additional Offset to ARP (Tribrach, etc.)	—		0	
	H = A + B (Antenna Height) = Datum Point to ARP	2.000		2.000	

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet-Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? **Y / N** (Circle One)

NGS Tripod : 102



Log
Checked
By:

GPS Observation Log

Station Name: NAEGOLIN (Session 2) PID:	Date: 09/07/04	Day Number: 251	4-Char ID:
--	--------------------------	---------------------------	------------

Location: OW Point USGS Quad, Gila County, Arizona	Observer: N Frantner	Obs. Agency: GILA COUNTY
--	--------------------------------	------------------------------------

Latitude: 34 15' 15.71" N	Longitude: 110 50' 30.5" W	Height:
-------------------------------------	--------------------------------------	---------

Session Start: UTC / Local 1717 / 11017 AM	Scheduled Start: UTC / Local 2215 / 03:15 PM	Recording Interval: (Seconds) 15
--	--	--

Session End: UTC / Local 1945 / 112:45	Scheduled End: UTC / Local 2215 / 03:15 PM	Elevation Mask: (Degrees) 10°
--	--	---

Antenna Model Number: 701975-01A +GP	Receiver Model Number: ZExtreme	Antenna Mount: (Check one)
--	---	----------------------------

Antenna Serial Number: 6778 6845	Receiver Serial Number: ZE120022807 3223	Fixed Height Pole: <input checked="" type="checkbox"/> Slip Leg Tripod: <input type="checkbox"/>
--	--	---

Antenna Manufacturer: Ashtech	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Receiver Manufacturer: Ashtech	A = Datum point to top of Tripod (tripod height)	2.001		2.001	
	B = Additional Offset to ARP (Tribrach, etc.)	0		0	
	H = A + B (Antenna Height) = Datum Point to ARP	2.001		2.001	

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									1
Serial Number:	Middle									1
Psychrometer	End									1
	Average of Readings									



Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)

NGS Tripod : 104 #3 NGS 103



Log Checked By:

GPS Observation Log

Station Name: PVA (Session 2)		Date: 09/07/04	Day Number: 251	4-Char ID:						
PID: PVA (Session 2)		Location: Oxbow MT USGS Quad, Gila County, Arizona		Observer: T. Lukie T. QUILL	Obs. Agency: GILA COUNTY					
Latitude: 34 09' 23.06" N		Longitude: 110 56' 28.34" W		Height:						
Session Start: UTC / Local 1716 / 1716 10:16		Scheduled Start: UTC / Local 2215 / 03:15 PM 10:15		Recording Interval: (Seconds) 15						
Session End: UTC / Local 1945 / 12:45		Scheduled End: UTC / Local 2215 / 03:15 PM 12:45		Elevation Mask: (Degrees) 10°						
Antenna Model Number: PG-A1 <i>OK</i>		Receiver Model Number: Legacy E		Antenna Mount: (Check one)						
Antenna Serial Number: 235-0837 <i>OK</i>		Receiver Serial Number: 268-2373 235 <i>OK</i>		Fixed Height Pole: <input checked="" type="checkbox"/> X						
Slip Leg Tripod: _____										
Antenna Manufacturer: Topcon <i>OK</i>	Antenna Height (see back of form)		Session Start:		Session End:					
	A = Datum point to top of Tripod (tripod height)		Meters	Feet	Meters	Feet				
Receiver Manufacturer: Topcon <i>OK</i>	B = Additional Offset to ARP (Tribrach, etc.)		Meters		Feet					
	H = A + B (Antenna Height) = Datum Point to ARP		Meters		Feet					
>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<										
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F	C	Wet- Bulb Temp. F	C	Rel. % Humidity	Atm. Pressure Inches	Millibar	Weather Codes
Part Number:	Start									00001
Serial Number:	Middle									00001
Psychrometer	End									00001
Average of Readings										
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? (Y) / N (Circle One) Gila Tripod 6 D3132										
						Log Checked By:				

GPS Observation Log

Station Name: TUTTLE (Session 2)	Date: 09/07/04	Day Number: 251	4-Char ID:
PID:			

Location: OW Point USGS Quad, Gila County, Arizona	Observer: T Homan	Obs. Agency: GILA COUNTY
---	------------------------------------	---

Latitude: 34 19' 17.5" N	Longitude: 110 50' 45.7 W	Height:
---	--	----------------

Session Start: UTC / Local <i>10:17 AM / 1717</i>	Scheduled Start: UTC / Local 2215 / 03:15 PM	Recording Interval: (Seconds) 15
---	---	---

Session End: UTC / Local <i>12:45 PM / 1945</i>	Scheduled End: UTC / Local 2215 / 03:15 PM	Elevation Mask: (Degrees) 10°
---	---	--

Antenna Model Number: 701975-01A +GP	Receiver Model Number: ZExtreme	Antenna Mount: (Check one)
---	--	-----------------------------------

Antenna Serial Number: 6845 <i>6778</i>	Receiver Serial Number: ZE120023223 <i>2807</i>	Fixed Height Pole: <input checked="" type="checkbox"/> X
		Slip Leg Tripod: _____


Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech	A = Datum point to top of Tripod (tripod height)	<i>2.000</i>		<i>2.000</i>	
	B = Additional Offset to ARP (Tribrach, etc.)				
	H = A + B (Antenna Height) = Datum Point to ARP	<i>2.000</i>		<i>2.000</i>	

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
Average of Readings										



Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? (Y) / N (Circle One)

NGS Tripod : *106*
108 *Tuttle*



Log Checked By:

GPS Observation Log

Station Name: X142 (Session 2) PID: ES0193		Date: 09/07/04	Day Number: 251	4-Char ID:			
Location: Woods Canyon USGS Quad, Gila County, Arizona			Observer: R. Blinger <i>Smiley</i>	Obs. Agency: GILA COUNTY			
Latitude: 48.3° 34 18' 52.01" N		Longitude: 54.24 110 55' 52.01" W		Height:			
Session Start: UTC / Local 1716 / 1016		Scheduled Start: UTC / Local 2215 / 0315 PM 1013		Recording Interval: (Seconds) 15			
Session End: UTC / Local 1945 / 1245		Scheduled End: UTC / Local 2215 / 0315 PM 1245		Elevation Mask: (Degrees) 10°			
Antenna Model Number: #N/A 4800		Receiver Model Number: #N/A 4800		Antenna Mount: (Check one)			
Antenna Serial Number: #N/A 4639		Receiver Serial Number: #N/A 4639		Fixed Height Pole: <input checked="" type="checkbox"/> X			
		Slip Leg Tripod: _____					
Antenna Manufacturer: #N/A TRM	Antenna Height (see back of form)		Session Start: Meters Feet	Session End: Meters Feet			
	A = Datum point to top of Tripod (tripod height)		2.002	2.002			
	B = Additional Offset to ARP (Tribrach, etc.)		—	0			
Receiver Manufacturer: #N/A TRM	H = A + B (Antenna Height) = Datum Point to ARP		2.002	2.002			
	>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<						
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F C	Wet- Bulb Temp. F C	Rel. % Humidity	Atm. Pressure Inches Millibar	Weather Codes
Part Number:	Start						
Serial Number:	Middle						
Psychrometer	End						
	Average of Readings						
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? Y / N (Circle One) #N/A NGS B							
				Log Checked By: _____			