

GPS Observation Log

Station Name: C496 (Session 2) PID: ES0729	Date: 08/31/04	Day Number: 244	4-Char ID:
---	---------------------------------	----------------------------------	-------------------

Location: Pine USGS Quad, Gila County, Arizona	Observer: J Scott Carlos Ozuna	Obs. Agency: GILA COUNTY
---	---	---

Latitude: 34 22' 35.96" N	Longitude: 111 26' 56.99" W	Height:
--	--	----------------

Session Start: UTC / Local 1717 / 10:17 AM	Scheduled Start: UTC / Local 1715 / 10:15 AM	Recording Interval: (Seconds) 15
---	---	---

Session End: UTC / Local 1945 / 12:45 PM	Scheduled End: UTC / Local 1945 / 12:45 PM	Elevation Mask: (Degrees) 10°
---	---	--

Antenna Model Number: 4800	Receiver Model Number: 4800	Antenna Mount: (Check one)
---	--	-----------------------------------

Antenna Serial Number: 0220165440	Receiver Serial Number: 0220165440	Fixed Height Pole: <u>X</u> Slip Leg Tripod: _____
--	---	---

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Trimble	A = Datum point to top of Tripod (tripod height)	1.503		1.503	
	B = Additional Offset to ARP (Tribrach, etc.)	0		0	
	H = A + B (Antenna Height) = Datum Point to ARP	1.503		1.503	

>>>>> Λ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer:	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Manufacturer:	Start									
Part Number:	Middle									
Serial Number:	End									
Psychrometer	Average of Readings									00010

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? (Y) / N (Circle One)

Gila Tripod 2/Receiver 2



Log Checked By:

GPS Observation Log

Station Name: CAMPG (Session 2) PID:		Date: 08/31/04	Day Number: 244	4-Char ID:
Location: Kehl Ridge USGS Quad, Gila County, Arizona			Observer: BILL W	Obs. Agency: GILA COUNTY
Latitude: 34 24' 09.0" N		Longitude: 111 22' 05.7 W		Height:
Session Start: UTC / Local 10:18 AM		Scheduled Start: UTC / Local 1715 / 10:15 AM		Recording Interval: (Seconds) 15
Session End: UTC / Local 12:45 PM		Scheduled End: UTC / Local 1945 / 12:45 PM		Elevation Mask: (Degrees) 10°
Antenna Model Number: 701975-01A +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)
Antenna Serial Number: 6809		Receiver Serial Number: ZE120022801		Fixed Height Pole: <input checked="" type="checkbox"/> <u>X</u>
				Slip Leg Tripod: _____


Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech	A = Datum point to top of Tripod (tripod height)	2.000		2.000	
Ashtech	B = Additional Offset to ARP (Tribrach, etc.)	0		0	
	H = A + B (Antenna Height) = Datum Point to ARP	2.000		2.000	

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? **Y / N** (Circle One)

NGS Tripod : 101



Log
Checked
By:

GPS Observation Log

Station Name: D495 (Session 2) PID: ES0723		Date: 08/31/04	Day Number: 244	4-Char ID:
Location: Pine USGS Quad, Gila County, Arizona			Observer: J Farr	Obs. Agency: GILA COUNTY
Latitude: 34 24' 28.74" N		Longitude: 111 29' 35.95" W		Height:
Session Start: UTC / Local 1725 / 10:25 AM.		Scheduled Start: UTC / Local 1715 / 10:15 AM		Recording Interval: (Seconds) 15
Session End: UTC / Local 1945 / 12:45 P.M.		Scheduled End: UTC / Local 1945 / 12:45 PM		Elevation Mask: (Degrees) 10°
Antenna Model Number: 701975-01A +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)
Antenna Serial Number: 6890		Receiver Serial Number: ZE120023402		Fixed Height Pole: <u> X </u>
				Slip Leg Tripod: <u> </u>

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech	A = Datum point to top of Tripod (tripod height)	2.00	6.57	2.00	6.55
	B = Additional Offset to ARP (Tribrach, etc.)	.018	.045	.018	.045
	H = A + B (Antenna Height) = Datum Point to ARP	2.018	6.615	2.018	6.600

>>>>> **A** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<


Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:

Antenna Set to True North? **(Y)** / N (Circle One)

102
NGS Tripod : NGS-B /Receiver

INTERNAL BATTERY DOWN 10:15 AM, HOOKED UP B-32 CAR BATTERY. UP AND RUNNING AT 10:25 AM.



Log
Checked
By:

GPS Observation Log

Station Name: DEADMAN (Session 2) PID: DG5010		Date: 08/31/04	Day Number: 244	4-Char ID:
Location: Strawberry USGS Quad, Gila County, Arizona			Observer: R Bunger	Obs. Agency: GILA COUNTY
Latitude: 34 24' 28.86" N		Longitude: 111 34' 19.70" W		Height:
Session Start: UTC / Local 1720 / 10:20 AM		Scheduled Start: UTC / Local 1715 / 10:15 AM		Recording Interval: (Seconds) 15
Session End: UTC / Local 1947 / 12:47		Scheduled End: UTC / Local 1945 / 12:45 PM		Elevation Mask: (Degrees) 10°
Antenna Model Number: 4800		Receiver Model Number: 4800		Antenna Mount: (Check one)
Antenna Serial Number: 0220244639		Receiver Serial Number: 0220244639		Fixed Height Pole: <input checked="" type="checkbox"/> <u>X</u>
				Slip Leg Tripod: _____


Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Trimble	A = Datum point to top of Tripod (tripod height)	1.802		1.802	5.912
	B = Additional Offset to ARP (Tribrach, etc.)	0		0	0
	H = A + B (Antenna Height) = Datum Point to ARP	1.802		1.802	5.912

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									01000
Serial Number:	Middle									01000
Psychrometer	End									01000
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)

Gila Tripod 3/Receiver 3



Log Checked By:

GPS Observation Log

Station Name: G495 (Session 2) PID: ES0720	Date: 08/31/04	Day Number: 244	4-Char ID:
--	--------------------------	---------------------------	------------

Location: Strawberry USGS Quad, Gila County, Arizona	Observer: R Bunger	Obs. Agency: GILA COUNTY
--	------------------------------	------------------------------------

Latitude: 34 24' 21.03" N	Longitude: 111 33' 47.94" W	Height:
-------------------------------------	---------------------------------------	---------

Session Start: UTC / Local 1720 / 10:20 AM	Scheduled Start: UTC / Local 1715 / 10:15 AM	Recording Interval: (Seconds) 15
--	--	--

Session End: UTC / Local 1957 / 12:57 PM	Scheduled End: UTC / Local 1945 / 12:45 PM	Elevation Mask: (Degrees) 10°
--	--	---

Antenna Model Number: 4800	Receiver Model Number: 4800	Antenna Mount: (Check one)
--------------------------------------	---------------------------------------	----------------------------

Antenna Serial Number: 0220165441	Receiver Serial Number: 0220165441	Fixed Height Pole: <input checked="" type="checkbox"/> X
		Slip Leg Tripod: _____



Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Trimble	A = Datum point to top of Tripod (tripod height)	1.803		1.803	
	B = Additional Offset to ARP (Tribrach, etc.)	0		0	
	H = A + B (Antenna Height) = Datum Point to ARP	1.803		1.803	

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									00100
Serial Number:	Middle									00100
Psychrometer	End									00100
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
 Antenna Set to True North? Y / N (Circle One)

Gila Tripod 1/Receiver 1 OK
GILA TRIPOD #4

Log Checked By:

GPS Observation Log

Station Name: G496 PID ESØ733	Date: 8/31/04	Day Number: 244	4-Char ID:
Location: Buckhead Mesa, Gila County, AZ		Observer: J Ortega	Obs. Agency: GILA COUNTY
Latitude:	Longitude:		Height: 1228 M
Session Start: UTC / Local 1724 / 1024	Scheduled Start: UTC / Local 1730 / 1030	Recording Interval: (Seconds) 15	
Session End: UTC / Local 1941 / 1241	Scheduled End: UTC / Local 1930 / 1230	Elevation Mask: (Degrees) 10°	
Antenna Model Number: ASH T01975.01A+GP	Receiver Model Number: ZExtreme	Antenna Mount: (Check one)	
Antenna Serial Number: 6863	Receiver Serial Number: 3229	Fixed Height Pole: <input checked="" type="checkbox"/> <u>X</u>	
		Slip Leg Tripod: _____	

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
ASH	A = Datum point to top of Tripod (tripod height)	1.800		1.800	
Receiver Manufacturer: ASH	B = Additional Offset to ARP (Tribrach, etc.)	0		0	
	H = A + B (Antenna Height) = Datum Point to ARP	1.800		1.800	

>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? **(Y)** / N (Circle One)

TRIPOD: NGS-R

LOG PAGE TRANSCRIBED - ORIGINAL DESTROYED FROM WATER DAMAGE 8/16/2006. *stet*



Log Checked By: *stet*

GPS Observation Log

Station Name: GESTATES (Session 2) PID:	Date: 08/31/04	Day Number: 244	4-Char ID:
--	---------------------------------	----------------------------------	-------------------

Location: Payson North USGS Quad, Gila County, Arizona	Observer: (111) <i>Wesley W.</i>	Obs. Agency: GILA COUNTY
---	--	---

Latitude: 34 21' 56.4" N	Longitude: 111 21' 38.9 W	Height:
---	--	----------------

Session Start: UTC / Local 10:21 ¹⁷²¹ / 10:21 A.M.	Scheduled Start: UTC / Local 1715 / 10:15 AM	Recording Interval: (Seconds) 15
---	---	---

Session End: UTC / Local 10:55 ¹⁷⁵⁵ / 10:55 A.M.	Scheduled End: UTC / Local 1945 / 12:45 PM	Elevation Mask: (Degrees) 10°
---	---	--

Antenna Model Number: 701975-01B +GP	Receiver Model Number: ZExtreme	Antenna Mount: (Check one)
---	--	-----------------------------------

Antenna Serial Number: 7034	Receiver Serial Number: ZE120023901	Fixed Height Pole: <input checked="" type="checkbox"/> X
		Slip Leg Tripod: _____


Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech	A = Datum point to top of Tripod (tripod height)	<i>2.000M</i>		<i>2.000M</i>	
	B = Additional Offset to ARP (Tribrach, etc.)	<i>0</i>		<i>0</i>	
	H = A + B (Antenna Height) = Datum Point to ARP	<i>2.000M</i>		<i>2.000M</i>	


>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start	<i>1021</i>								<i>00100</i>
Serial Number:	Middle	<i>1055</i>								<i>10111</i> <i>Easty</i>
Psychrometer	End									
Average of Readings										

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? (Y) / N (Circle One)

NGS Tripod : 102 *Receiver went down 10:55 back up AT 12:38 P.M.*
BATTERY DIED





Log Checked By:

GPS Observation Log

Station Name: S&R (Session 2) JDAVIS		Date: 08/31/04	Day Number: 244	4-Char ID:
Location: Strawberry USGS Quad, Gila County, Arizona			Observer: T Lukie	Obs. Agency: GILA COUNTY
Latitude: 34 24' 15.68" N		Longitude: 111 31' 17.4" W		Height:
Session Start: UTC / Local 1715 / 10:15		Scheduled Start: UTC / Local 1715 / 10:15 AM		Recording Interval: (Seconds) 15
Session End: UTC / Local 1945 / 12:45		Scheduled End: UTC / Local 1945 / 12:45 PM		Elevation Mask: (Degrees) 10°
Antenna Model Number: PG-A1		Receiver Model Number: Legacy E		Antenna Mount: (Check one)
Antenna Serial Number: 235-0837		Receiver Serial Number: 268-2373		Fixed Height Pole: <input checked="" type="checkbox"/> X
				Slip Leg Tripod: _____

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Receiver Manufacturer: Topcon	A = Datum point to top of Tripod (tripod height)	2.002		2.002	
	B = Additional Offset to ARP (Tribrach, etc.)	0.1		0.1	
	H = A + B (Antenna Height) = Datum Point to ARP	2.102		2.102	


>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)

Gila Tripod 6

10 cm adapter inserted between antenna & mount for cable clearance



Log Checked By:


GPS Observation Log

Station Name: MILLER (2) PID E50982		Date: 8/31/04	Day Number: 244	4-Char ID:			
Location: Kehl Ridge, Gila County, AZ			Observer: G Tomiatti	Obs. Agency: GILA COUNTY			
Latitude:		Longitude:		Height: 1228 M			
Session Start: UTC / Local 1717 / 1017		Scheduled Start: UTC / Local 1715 / 1015		Recording Interval: (Seconds) 15			
Session End: UTC / Local 1936 / 1236		Scheduled End: UTC / Local 1945 / 1245		Elevation Mask: (Degrees) 10°			
Antenna Model Number: HiPer + GGD		Receiver Model Number: HiPer + GGD		Antenna Mount: (Check one)			
Antenna Serial Number: 0539		Receiver Serial Number: 0539		Fixed Height Pole: <input checked="" type="checkbox"/> <u> </u>			
		Slip Leg Tripod: <input type="checkbox"/> <u> </u>					
Antenna Manufacturer: Topcon	Antenna Height (see back of form)		Session Start: Meters Feet		Session End: Meters Feet		
	A = Datum point to top of Tripod (tripod height)		2.003		2.003		
	Receiver Manufacturer: Topcon		B = Additional Offset to ARP (Tribrach, etc.)		0		
		H = A + B (Antenna Height) = Datum Point to ARP		2.003		2.003	
>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<							
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F C	Wet- Bulb Temp. F C	Rel. % Humidity	Atm. Pressure Inches Millibar	Weather Codes
Part Number:	Start						
Serial Number:	Middle						
Psychrometer	End						
Average of Readings							

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)

Tripod: Gila 5

LOG PAGE TRANSCRIBED - ORIGINAL DESTROYED FROM WATER DAMAGE 8/16/2006.



Log Checked By: *[Signature]*

GPS Observation Log

Station Name: MINKEL (Session 2) PID:		Date: 08/31/04	Day Number: 244	4-Char ID:
Location: Buckhead Mesa USGS Quad, Gila County, Arizona			Observer: N Frantner	Obs. Agency: GILA COUNTY
Latitude: 34 22' 14.4" N		Longitude: 111 29' 14.9 W		Height:
Session Start: UTC / Local 1718 110:18Am		Scheduled Start: UTC / Local 1715 / 10:15 AM		Recording Interval: (Seconds) 15
Session End: UTC / Local 1945 112:45		Scheduled End: UTC / Local 1945 / 12:45 PM		Elevation Mask: (Degrees) 10°
Antenna Model Number: 701975-01A +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)
Antenna Serial Number: 6778		Receiver Serial Number: ZE120022807		Fixed Height Pole: <input checked="" type="checkbox"/> <u>X</u>
				Slip Leg Tripod: _____

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech	A = Datum point to top of Tripod (tripod height)	1.500		1.500	
	B = Additional Offset to ARP (Tribrach, etc.)	0		0	
	H = A + B (Antenna Height) = Datum Point to ARP	1.500	0	1.500	

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									/
Serial Number:	Middle									/
Psychrometer	End									/
	Average of Readings									/

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)

NGS Tripod : 104



Reset at 11:30 bubble off a little
Wind 5 to 15 mph - Cloud Cover 20% to 70%
small amount of rain

USER DID NOT SHUT DOWN VIA POWER BUTTON BUT DISCONNECTED ANTENNA CABLE TO FORCE DATA BREAK



Log Checked By:

GPS Observation Log

Station Name: PERHAM (SESSION 2)		Date: 8/31/04		Day Number: 244		4-Char ID:				
Location: PINE USGS QUAD, GILA COUNTY, AZ				Observer: ALLEN		Obs. Agency: GILA COUNTY				
Latitude: 34 24 20.1 N		Longitude: 111 27 09.2		Height: <input checked="" type="checkbox"/>						
Session Start: UTC / Local 1720 / 1020		Scheduled Start: UTC / Local 1715 / 1015		Recording Interval: (Seconds) 15						
Session End: UTC / Local 1946 / 1246		Scheduled End: UTC / Local 1945 / 1245		Elevation Mask: (Degrees) 10°						
Antenna Model Number: 701975-O1A+G1P		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)						
Antenna Serial Number: 6820		Receiver Serial Number: ZE120022810		Fixed Height Pole: <input checked="" type="checkbox"/>						
				Slip Leg Tripod: <input type="checkbox"/>						
Antenna Manufacturer: ASHTECH		Antenna Height (see back of form)		Session Start: Meters Feet		Session End: Meters Feet				
		A = Datum point to top of Tripod (tripod height)		2.001		2.001				
		Receiver Manufacturer: ASHTECH		B = Additional Offset to ARP (Tribrach, etc.)		0		0		
		H = A + B (Antenna Height) = Datum Point to ARP		2.001		2.001				
>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<										
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F C		Wet-Bulb Temp. F C		Rel. % Humidity	Atm. Pressure Inches Millibar		Weather Codes
	Part Number:	Start								
	Serial Number:	Middle								
	Psychrometer	End								
Average of Readings										
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? Y / N (Circle One) Log replaced from one blown away NGS TRIPOD 103										
								Log Checked By:		

GPS Observation Log

Station Name: WASHPARK (Session 2) PID:	Date: 08/31/04	Day Number: 244	4-Char ID:
--	--------------------------	---------------------------	-------------------

Location: Kehl Ridge USGS Quad, Gila County, Arizona	Observer: T. Quinn	Obs. Agency: GILA COUNTY
--	------------------------------	------------------------------------

Latitude: 34 24' 45.2" N	Longitude: 111 16' 06.3 W	Height:
------------------------------------	-------------------------------------	----------------

Session Start: UTC / Local / 10:19	Scheduled Start: UTC / Local 1715 / 10:15 AM	Recording Interval: (Seconds) 15
--	--	--

Session End: UTC / Local / —	Scheduled End: UTC / Local 1945 / 12:45 PM	Elevation Mask: (Degrees) 10°
--	--	---

Antenna Model Number: 701975-01A +GP	Receiver Model Number: ZExtreme	Antenna Mount: (Check one)
--	---	-----------------------------------

Antenna Serial Number: 6931 OK	Receiver Serial Number: ZE120023406 OK	Fixed Height Pole: <input checked="" type="checkbox"/> X Slip Leg Tripod: <input type="checkbox"/>
--	--	--



Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech	A = Datum point to top of Tripod (tripod height)	1.804		1.804	
	B = Additional Offset to ARP (Tribrach, etc.)	0		0	
	H = A + B (Antenna Height) = Datum Point to ARP	1.804		1.804	

>>>>> Λ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									00000
Serial Number:	Middle									00011
Psychrometer	End									00021
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
 Antenna Set to True North? Y / N (Circle One) BUSTY WINDS, RAIN AND CLOUD COVER, 12:30PM
 NGS Tripod : 105 I DID NOT SHUT DOWN, RESTART EQUIP. DUE TO WEATHER: TIME 12:45

DATA BAD

Log Checked By:

GPS Observation Log

Station Name: WHISPER (Session 2)		Date: 08/31/04	Day Number: 244	4-Char ID:
PID: 701975-01A +GP		Location: Kehl Ridge USGS Quad, Gila County, Arizona		Observer: <i>Smokey</i>
Obs. Agency: GILA COUNTY		Latitude: 34 22' 39.7" N	Longitude: 111 17' 16.5 W	Height:
Session Start: UTC / Local <i>1720 / 1020</i>		Scheduled Start: UTC / Local 1715 / 10:15 AM		Recording Interval: (Seconds) 15
Session End: UTC / Local <i>1945 / 1245</i>		Scheduled End: UTC / Local 1945 / 12:45 PM		Elevation Mask: (Degrees) 10°
Antenna Model Number: 701975-01A +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)
Antenna Serial Number: 6845		Receiver Serial Number: ZE120023223		Fixed Height Pole: <input checked="" type="checkbox"/> <u>X</u>
				Slip Leg Tripod: _____

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech	A = Datum point to top of Tripod (tripod height)	<i>2.00⁰²</i>		<i>2.002</i>	
	B = Additional Offset to ARP (Tribrach, etc.)	<i>—</i>		<i>0</i>	
	H = A + B (Antenna Height) = Datum Point to ARP	<i>2.00⁰²</i>		<i>2.002</i>	

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
Average of Readings										

Remarks, Comments on Problems, Sketches, etc:
 Antenna Set to True North? **Y / N** (Circle One)

NGS Tripod : 106 *Adjusted Level A little AT 1145*



Log
Checked
By: