

GPS Observation Log

Station Name: BONITA (Session 1) PID:		Date: 09/02/04	Day Number: 246	4-Char ID:
Location: Diamond Point USGS Quad, Gila County, Arizona			Observer: J Ortega	Obs. Agency: GILA COUNTY
Latitude: 34 22' 16.7" N		Longitude: 111 14' 33.7 W		Height:
Session Start: UTC / Local 1432 / 7:32 AM		Scheduled Start: UTC / Local 1445 / 07:45 AM		Recording Interval: (Seconds) 15
Session End: UTC / Local 1715 / 10:15		Scheduled End: UTC / Local 1715 / 10:15 AM		Elevation Mask: (Degrees) 10°
Antenna Model Number: 701975-01A +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)
Antenna Serial Number: 6863		Receiver Serial Number: ZE120023229		Fixed Height Pole: <u> X </u> Slip Leg Tripod: <u> </u>

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech	A = Datum point to top of Tripod (tripod height)	1.800		1.800	
	B = Additional Offset to ARP (Tribrach, etc.)	0		0	
	H = A + B (Antenna Height) = Datum Point to ARP	1.800		1.800	

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
Average of Readings										

Remarks, Comments on Problems, Sketches, etc:
 Antenna Set to True North? **Y / N** (Circle One)

NGS Tripod : NGS-R / Receiver *Clear skies Good weather*
NI *check every 30min*



Log
Checked
By:

GPS Observation Log

Station Name: BOSSERT (Session 1) PID:		Date: 09/02/04	Day Number: 246	4-Char ID:
Location: Diamond Point USGS Quad, Gila County, Arizona			Observer: <i>T. Quill</i>	Obs. Agency: GILA COUNTY
Latitude: 34 16' 28.4" N		Longitude: 111 13' 05.1 W		Height:
Session Start: UTC / Local / 6:25 (7:22)		Scheduled Start: UTC / Local 1445 / 07:45 AM		Recording Interval: (Seconds) 15
Session End: UTC / Local / 10:15		Scheduled End: UTC / Local 1715 / 10:15 AM		Elevation Mask: (Degrees) 10°
Antenna Model Number: 701975-01A +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)
Antenna Serial Number: 6931		Receiver Serial Number: ZE120023406		Fixed Height Pole: <input checked="" type="checkbox"/> <u>X</u>
				Slip Leg Tripod: _____

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech	A = Datum point to top of Tripod (tripod height)	2.002		2.002	
	B = Additional Offset to ARP (Tribrach, etc.)	0		0	✓
	H = A + B (Antenna Height) = Datum Point to ARP	2.002		2.002	

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									00000
Serial Number:	Middle									00000
Psychrometer	End									00001
	Average of Readings									



Remarks, Comments on Problems, Sketches, etc:
 Antenna Set to True North? **(Y) 1 N** (Circle One) *SHUT DOWN AT 7:20; RESTART AT 7:22; RESET COMPUTER TO 15 SEC. INTERVAL*
 NGS Tripod : **105** *G3*

Bad Data - 20 sec



Log Checked By:

GPS Observation Log

Station Name: BVALLEY (Session 1)		Date: 09/02/04	Day Number: 246	4-Char ID:			
PID:		Observer: R Bunger	Obs. Agency: GILA COUNTY				
Location: Payson North USGS Quad, Gila County, Arizona		Latitude: 34 20' 35.4" N	Longitude: 111 17' 24.7 W	Height:			
Session Start: UTC / Local 1425 / 7:25		Scheduled Start: UTC / Local 1445 / 07:45 AM		Recording Interval: (Seconds) 15			
Session End: UTC / Local 1726 / 1026		Scheduled End: UTC / Local 1715 / 10:15 AM		Elevation Mask: (Degrees) 10°			
Antenna Model Number: 4800		Receiver Model Number: 4800		Antenna Mount: (Check one)			
Antenna Serial Number: 0220165441		Receiver Serial Number: 0220165441		Fixed Height Pole: <input checked="" type="checkbox"/> X			
				Slip Leg Tripod: _____			
Antenna Manufacturer: Trimble	Antenna Height (see back of form)		Session Start: Meters Feet	Session End: Meters Feet			
	A = Datum point to top of Tripod (tripod height)		1.804	1.804			
Receiver Manufacturer: Trimble	B = Additional Offset to ARP (Tribrach, etc.)		0	0			
	H = A + B (Antenna Height) = Datum Point to ARP		1.804	1.804			
>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<							
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F C	Wet- Bulb Temp. F C	Rel. % Humidity	Atm. Pressure Inches Millibar	Weather Codes
Part Number:	Start						00101
Serial Number:	Middle						
Psychrometer	End						
	Average of Readings						
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? Y / N (Circle One) 5 Gila Tripod 5/Receiver 1 ✓							
				Log Checked By:			

GPS Observation Log

Station Name: DIAMOND POINT (Session 1) PID: ES0971		Date: 09/02/04	Day Number: 246	4-Char ID:
Location: Diamond Point USGS Quad, Gila County, Arizona		Observer: C Ozuna	Obs. Agency: GILA COUNTY	
Latitude: 34 17' 15.05" N		Longitude: 111 11' 34.01" W		Height:
Session Start: UTC / Local 1426 107:26 AM		Scheduled Start: UTC / Local 1445 / 07:45 AM		Recording Interval: (Seconds) 15
Session End: UTC / Local 1715 110:15 AM		Scheduled End: UTC / Local 1715 / 10:15 AM		Elevation Mask: (Degrees) 10°
Antenna Model Number: 33429-00+GP		Receiver Model Number: 4700		Antenna Mount: (Check one)
Antenna Serial Number: 0220165099		Receiver Serial Number: 0220166602		Fixed Height Pole: <u>X</u> Slip Leg Tripod: _____


Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Trimble	A = Datum point to top of Tripod (tripod height)	1.503		1.503	
	B = Additional Offset to ARP (Tribrach, etc.)	0		0	
	H = A + B (Antenna Height) = Datum Point to ARP	1.503		1.503	

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									00000

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? **(Y)** / N (Circle One)

Gila Tripod 4



Log Checked By:

GPS Observation Log

Station Name: GESTATES (Session 1)	Date: 09/02/04	Day Number: 246	4-Char ID:
PID:			

Location: Payson North USGS Quad, Gila County, Arizona	Observer: # P. Fisher (111) <i>W. Wikson</i>	Obs. Agency: GILA COUNTY
---	--	---

Latitude: 34 21' 56.4" N	Longitude: 111 21' 38.9 W	Height:
---	--	----------------

Session Start: UTC / Local <i>0725 1429 / 7:25 A.M.</i>	Scheduled Start: UTC / Local 1445 / 07:45 AM	Recording Interval: (Seconds) 15
---	---	---

Session End: UTC / Local <i>1015 1715 / 10:15 A.M.</i>	Scheduled End: UTC / Local 1715 / 10:15 AM	Elevation Mask: (Degrees) 10°
--	---	--

Antenna Model Number: 4800	Receiver Model Number: 4800	Antenna Mount: (Check one)
---	--	-----------------------------------

Antenna Serial Number: 0220165440	Receiver Serial Number: 0220165440 ✓	Fixed Height Pole: <input checked="" type="checkbox"/> X Slip Leg Tripod: _____
--	---	---



Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Trimble	A = Datum point to top of Tripod (tripod height)	<i>2.0⁰⁰M.</i>		<i>2.0⁰⁰M.</i>	
	B = Additional Offset to ARP (Tribrach, etc.)	<i>0</i>		<i>0</i>	
	H = A + B (Antenna Height) = Datum Point to ARP	<i>2.0⁰⁰M</i>		<i>2.0⁰⁰M.</i>	

>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start	<i>0725</i>								<i>00000</i>
Serial Number:	Middle	<i>0900</i>								<i>00000</i>
Psychrometer	End	<i>1015</i>								<i>00000</i>
Average of Readings										

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)

Gila Tripod 2/Receiver 2 *Tripod # D-31*

Log Checked By:

GPS Observation Log

Station Name: HUSTON (Session 1) PID: <i>ES0983</i>		Date: 09/02/04	Day Number: 246	4-Char ID:
Location: Payson North USGS Quad, Gila County, Arizona			Observer: <i>WEATHERILL</i>	Obs. Agency: GILA COUNTY
Latitude: 34 16' 32.89" N		Longitude: 111 18' 19.12" W		Height:
Session Start: UTC / Local <i>1415 / 0715</i>		Scheduled Start: UTC / Local 1445 / 07:45 AM		Recording Interval: (Seconds) 15
Session End: UTC / Local <i>1715 / 10:15</i> <i>1858 / 1158</i>		Scheduled End: UTC / Local 1715 / 10:15 AM		Elevation Mask: (Degrees) 10°
Antenna Model Number: 701975-01A +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)
Antenna Serial Number: 6820		Receiver Serial Number: ZE120022810		Fixed Height Pole: <input checked="" type="checkbox"/> <u>X</u>
				Slip Leg Tripod: _____

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech	A = Datum point to top of Tripod (tripod height)	<i>2.002</i>		<i>2.002</i>	
	B = Additional Offset to ARP (Tribrach, etc.)	<i>0</i>		<i>0</i>	
	H = A + B (Antenna Height) = Datum Point to ARP	<i>2.002</i>		<i>2.002</i>	

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)



NGS Tripod: ~~103~~ N-6

*BAD DATA
- 20 sec EPOCH
RATE*



Log Checked By:

GPS Observation Log

Station Name: P496 (Session 1) PID: ES0740		Date: 09/02/04	Day Number: 246	4-Char ID:						
Location: Payson North USGS Quad, Gila County, Arizona			Observer: J. FARR TAMIETTI	Obs. Agency: GILA COUNTY						
Latitude: 34 17' 41.50" N		Longitude: 111 21' 06.4" W		Height:						
Session Start: UTC / Local / 7:11 AM		Scheduled Start: UTC / Local 1445 / 07:45 AM		Recording Interval: (Seconds) 15						
Session End: UTC / Local / 10:19 AM		Scheduled End: UTC / Local 1715 / 10:15 AM		Elevation Mask: (Degrees) 10°						
Antenna Model Number: 701975-01A +GP TPS HIPER-GGD		Receiver Model Number: ZExtreme HIPER-GGD TOPCON		Antenna Mount: (Check one)						
Antenna Serial Number: 6890		Receiver Serial Number: ZE120023402 251-0539		Fixed Height Pole: <input checked="" type="checkbox"/> X						
Slip Leg Tripod: _____										
Antenna Manufacturer: Ashtech TOPCON Hyper+	Antenna Height (see back of form)		Session Start:		Session End:					
			Meters	Feet	Meters	Feet				
	A = Datum point to top of Tripod (tripod height)		2.000		2.000					
Receiver Manufacturer: Ashtech TOPCON Hyper+	B = Additional Offset to ARP (Tribrach, etc.)		/		-					
	H = A + B (Antenna Height) = Datum Point to ARP		2.000		2.000					
>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<										
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F C		Wet- Bulb Temp. F C		Rel. % Humidity	Atm. Pressure Inches Millibar		Weather Codes
	Part Number:	Start								00000
Serial Number:	Middle									
Psychrometer	End	AM 10:19								00000
	Average of Readings									
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? Y / (N) (Circle One) "R" NGS Tripod : NGS-B / Receiver										
 								Log Checked By:		

GPS Observation Log

Station Name: RJONES (Session 1) PID:		Date: 09/02/04	Day Number: 246	4-Char ID:
Location: Payson North USGS Quad, Gila County, Arizona			Observer: <i>Allen</i>	Obs. Agency: GILA COUNTY
Latitude: 34 15' 18.0" N		Longitude: 111 15' 31.7 W		Height:
Session Start: UTC / Local 1318 / 6:18 AM		Scheduled Start: UTC / Local 1445 / 07:45 AM		Recording Interval: (Seconds) 15
Session End: UTC / Local 1715 / 10:15 AM		Scheduled End: UTC / Local 1715 / 10:15 AM		Elevation Mask: (Degrees) 10°
Antenna Model Number: 701975-01A +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)
Antenna Serial Number: 6845		Receiver Serial Number: ZE120023223		Fixed Height Pole: <input checked="" type="checkbox"/> <u>X</u>
				Slip Leg Tripod: _____


Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech	A = Datum point to top of Tripod (tripod height)	<i>2.000</i>		<i>2.000</i>	
	B = Additional Offset to ARP (Tribrach, etc.)	<i>0</i>		<i>0</i>	
	H = A + B (Antenna Height) = Datum Point to ARP	<i>2.000</i>		<i>2.000</i>	

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet-Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? **Y / N** (Circle One)

NGS Tripod : ~~106~~ 108



Log Checked By:

GPS Observation Log

Station Name: TOMHALL (Session 1)		Date: 09/02/04	Day Number: 246	4-Char ID:
PID:		Observer: J Farr TAMIETTI		Obs. Agency: GILA COUNTY
Location: Payson North USGS Quad, Gila County, Arizona		Latitude: 34 17' 50.3" N		Longitude: 111 21' 17.6 W
Session Start: UTC / Local 1421 / 7:21 AM		Scheduled Start: UTC / Local 1445 / 07:45 AM		Recording Interval: (Seconds) 15
Session End: UTC / Local 1715 / 10:15 AM		Scheduled End: UTC / Local 1715 / 10:15 AM		Elevation Mask: (Degrees) 10°
Antenna Model Number: 701975-01A +GP ✓		Receiver Model Number: ZExtreme ✓		Antenna Mount: (Check one)
Antenna Serial Number: 6809 ✓		Receiver Serial Number: ZE120022801 ✓		Fixed Height Pole: <u> X </u>
				Slip Leg Tripod: <u> </u>

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech ✓	A = Datum point to top of Tripod (tripod height)	2.002		2.002	
	B = Additional Offset to ARP (Tribrach, etc.)	1		-	
	H = A + B (Antenna Height) = Datum Point to ARP	2.002		2.002	

>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start	7:21 AM								00060
Serial Number:	Middle									
Psychrometer	End	10:15 AM								00000
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
 Antenna Set to True North? **Y** / N (Circle One)
"B"
 NGS Tripod : ~~101~~



Log Checked By:

GPS Observation Log

Station Name: TYLER (Session 1) PID:		Date: 09/02/04	Day Number: 246	4-Char ID:
Location: Payson South USGS Quad, Gila County, Arizona			Observer: <i>THOMAN</i>	Obs. Agency: GILA COUNTY
Latitude: 34 14' 58.7" N		Longitude: 111 17' 44.4 W		Height:
Session Start: UTC / Local <i>1442 / 0653 0742</i>		Scheduled Start: UTC / Local 1445 / 07:45 AM		Recording Interval: (Seconds) 15
Session End: UTC / Local <i>1717 / 1017</i>		Scheduled End: UTC / Local 1715 / 10:15 AM		Elevation Mask: (Degrees) 10°
Antenna Model Number: 701975-01B +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)
Antenna Serial Number: 7034		Receiver Serial Number: ZE120023901		Fixed Height Pole: <input checked="" type="checkbox"/> X
				Slip Leg Tripod: _____

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech	A = Datum point to top of Tripod (tripod height)	<i>1.800</i>		<i>1.800</i>	
	B = Additional Offset to ARP (Tribrach, etc.)	<i>0</i>		<i>0</i>	
	H = A + B (Antenna Height) = Datum Point to ARP	<i>1.800</i>		<i>1.800</i>	

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									



Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? **Y** / N (Circle One)

NGS Tripod : 102



Log
Checked
By:

GPS Observation Log

Station Name: WASHPARK (Session 1)		Date: 09/02/04	Day Number: 246	4-Char ID:			
PID: WASHPARK (Session 1)		Location: Kehl Ridge USGS Quad, Gila County, Arizona		Observer: N Frantner			
Obs. Agency: GILA COUNTY		Latitude: 34 24' 45.2" N	Longitude: 111 16' 06.3 W	Height:			
Session Start: UTC / Local 1425 / 7:25 AM	Scheduled Start: UTC / Local 1445 / 07:45 AM	Recording Interval: (Seconds) 15					
Session End: UTC / Local 1716 / 10:16	Scheduled End: UTC / Local 1715 / 10:15 AM	Elevation Mask: (Degrees) 10°					
Antenna Model Number: 701975-01A +GP	Receiver Model Number: ZExtreme	Antenna Mount: (Check one)					
Antenna Serial Number: 6778	Receiver Serial Number: ZE120022807	Fixed Height Pole: <input checked="" type="checkbox"/> <u>X</u>					
		Slip Leg Tripod: _____					
Antenna Manufacturer: Ashtech	Antenna Height (see back of form)	Session Start: Meters	Feet	Session End: Meters			
	A = Datum point to top of Tripod (tripod height)	1.801		1.801			
	B = Additional Offset to ARP (Tribrach, etc.)	0		0			
Receiver Manufacturer: Ashtech	H = A + B (Antenna Height) = Datum Point to ARP	1.801		1.801			
	>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<						
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F C	Wet- Bulb Temp. F C	Rel. % Humidity	Atm. Pressure Inches Millibar	Weather Codes
Part Number:	Start						
Serial Number:	Middle						
Psychrometer	End						
Average of Readings							
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? Y / N (Circle One) NGS Tripod : 104 103							
				Log Checked By: _____			

GPS Observation Log

Station Name: WHISPER (Session 1)		Date: 09/02/04	Day Number: 246	4-Char ID:
Location: Kehl Ridge USGS Quad, Gila County, Arizona		Observer: T. Lukie SMOKEY	Obs. Agency: GILA COUNTY	
Latitude: 34 22' 39.7" N		Longitude: 111 17' 16.5 W		Height:
Session Start: UTC / Local 1350 / 0650		Scheduled Start: UTC / Local 1445 / 07:45 AM		Recording Interval: (Seconds) 15
Session End: UTC / Local 1715 / 1015		Scheduled End: UTC / Local 1715 / 10:15 AM		Elevation Mask: (Degrees) 10°
Antenna Model Number: PG-A1		Receiver Model Number: Legacy E		Antenna Mount: (Check one)
Antenna Serial Number: 235-0837		Receiver Serial Number: 268-2373 ✓		Fixed Height Pole: <input checked="" type="checkbox"/> <u>X</u>
				Slip Leg Tripod: _____


Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Topcon	A = Datum point to top of Tripod (tripod height)	2.002		2.002	2.0
	B = Additional Offset to ARP (Tribrach, etc.)	0.10		0.10	
	H = A + B (Antenna Height) = Datum Point to ARP	2.102		2.102	

>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)

Gila Tripod 6 ✓



Log Checked By:

GPS Observation Log

Station Name: <i>W VALLEY</i>		Date: <i>9/2/04</i>	Day Number: <i>246</i>	4-Char ID:		
Location: <i>Payson North, Gila County, Az</i>			Observer: <i>T HOMAN</i>	Obs. Agency: GILA COUNTY		
Latitude:		Longitude:		Height: 1228 M		
Session Start: UTC / Local <i>1406 / 0706</i>		Scheduled Start: UTC / Local <i>1445 / 1745</i>		Recording Interval: (Seconds) 15		
Session End: UTC / Local <i>/</i>		Scheduled End: UTC / Local <i>1915 / 1015</i>		Elevation Mask: (Degrees) 10°		
Antenna Model Number: <i>4800</i>		Receiver Model Number: <i>4800</i>		Antenna Mount: (Check one)		
Antenna Serial Number: <i>4639</i>		Receiver Serial Number: <i>4639</i>		Fixed Height Pole: <input checked="" type="checkbox"/> <u>X</u>		
				Slip Leg Tripod: _____		
Antenna Manufacturer: <i>TRIMBLE</i>	Antenna Height (see back of form)		Session Start:		Session End:	
	A = Datum point to top of Tripod (tripod height)		Meters	Feet	Meters	Feet
			<i>2.000</i>		<i>2.000</i>	
Receiver Manufacturer: <i>Trimble</i>	B = Additional Offset to ARP (Tribrach, etc.)					
	H = A + B (Antenna Height) = Datum Point to ARP					
			<i>2.000</i>		<i>2.000</i>	

>>>>> Λ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
Average of Readings										

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)

Tripod: Gila 2

LOG PAGE TRANSCRIBED - ORIGINAL DESTROYED FROM WATER DAMAGE 8/16/2006. *rdh*



Log Checked By: *rdh*