

GPS Observation Log

Station Name: BEAR FLAT (Session 3)	Date: 09/03/04	Day Number: 247	4-Char ID:
PID:			

Location: Promontory Butte USGS Quad, Gila County, Arizona	Observer: <i>(#111) Wesley W</i>	Obs. Agency: GILA COUNTY
---	--	---

Latitude: 34 17' 04.0" N	Longitude: 111 04' 04.5 W	Height:
---	--	----------------

Session Start: UTC / Local <i>12481948 / 12:48 P.M.</i>	Scheduled Start: UTC / Local 2215 / 03:15 PM <i>12:45 P.M.</i>	Recording Interval: (Seconds) 15
---	--	---

Session End: UTC / Local <i>17000000 / 5:00 P.M.</i>	Scheduled End: UTC / Local 2215 / 03:15 PM	Elevation Mask: (Degrees) 10°
--	---	--

Antenna Model Number: 701975-01A +GP	Receiver Model Number: ZExtreme	Antenna Mount: (Check one)
---	--	-----------------------------------


Antenna Serial Number: 6809	Receiver Serial Number: ZE120022801	Fixed Height Pole: <u> X </u>
		Slip Leg Tripod: _____

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech	A = Datum point to top of Tripod (tripod height)	<i>2.000M</i>		<i>2.000M</i>	
	B = Additional Offset to ARP (Tribrach, etc.)	<i>0</i>		<i>0</i>	
	H = A + B (Antenna Height) = Datum Point to ARP	<i>2.000M</i>		<i>2.000M</i>	

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start	<i>1248</i>								<i>02001 (Gusty)</i>
Serial Number:	Middle	<i>1400</i>								<i>02011 (Gusty)</i>
Psychrometer	End	<i>1700</i>								<i>02011 (Gusty)</i>
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? (Y) / N (Circle One)
NGS Tripod: ~~101~~ Tripod # T-17
Equipment left running while assisting EMS w/ boy that had fallen while climbing



Log Checked By:

GPS Observation Log

Station Name: BONITA (Session 3) PID:		Date: 09/03/04	Day Number: 247	4-Char ID:
Location: Diamond Point USGS Quad, Gila County, Arizona			Observer: J Ortega	Obs. Agency: GILA COUNTY
Latitude: 34 22' 16.7" N		Longitude: 111 14' 33.7 W		Height:
Session Start: UTC / Local 1948 / 1248		Scheduled Start: UTC / Local 2215 / 03:15 PM		Recording Interval: (Seconds) 15
Session End: UTC / Local 2215 / 315		Scheduled End: UTC / Local 2215 / 03:15 PM		Elevation Mask: (Degrees) 10°
Antenna Model Number: 701975-01A +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)
Antenna Serial Number: 6863		Receiver Serial Number: ZE120023229		Fixed Height Pole: <u> X </u>
				Slip Leg Tripod: _____

Antenna Manufacturer: Ashtech	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
	A = Datum point to top of Tripod (tripod height)	1.800		1.800	
Receiver Manufacturer: Ashtech	B = Additional Offset to ARP (Tribrach, etc.)	—		—	
	H = A + B (Antenna Height) = Datum Point to ARP	1.800		1.800	


>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? **Y / N** (Circle One)



NGS Tripod : NGS-R /Receiver

NI



Log Checked By:

GPS Observation Log

Station Name: BOSSERT (Session 3)		Date: 09/03/04	Day Number: 247	4-Char ID:						
Location: Diamond Point USGS Quad, Gila County, Arizona		Observer: <i>B WILLIAMS</i>	Obs. Agency: GILA COUNTY							
Latitude: 34 16' 28.4" N		Longitude: 111 13' 05.1 W		Height:						
Session Start: UTC / Local <i>12:48 P.M. 1948</i>		Scheduled Start: UTC / Local 2215 / 03:15 PM		Recording Interval: (Seconds) 15						
Session End: UTC / Local <i>03:15 P.M. 2215</i>		Scheduled End: UTC / Local 2215 / 03:15 PM		Elevation Mask: (Degrees) 10°						
Antenna Model Number: 701975-01A +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)						
Antenna Serial Number: 6820		Receiver Serial Number: ZE120022810		Fixed Height Pole: <input checked="" type="checkbox"/> <u>X</u>						
				Slip Leg Tripod: _____						
Antenna Manufacturer: Ashtech	Antenna Height (see back of form)		Session Start:		Session End:					
	A = Datum point to top of Tripod (tripod height)		Meters	Feet	Meters	Feet				
	<i>2.002</i>				<i>2.002</i>					
Receiver Manufacturer: Ashtech	B = Additional Offset to ARP (Tribrach, etc.)									
	H = A + B (Antenna Height) = Datum Point to ARP									
	<i>2.002</i>				<i>2.002</i>					
>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<										
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F C		Wet- Bulb Temp. F C		Rel. % Humidity	Atm. Pressure Inches Millibar		Weather Codes
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? <input checked="" type="radio"/> Y / <input type="radio"/> N (Circle One) NGS Tripod : 103 <i>N6</i> <i>Pinon</i>										
 								Log Checked By:		

GPS Observation Log

Station Name: CHRISCRK (Session 3) PID:		Date: 09/03/04	Day Number: 247	4-Char ID:
Location: Promontory Butte USGS Quad, Gila County, Arizona			Observer: P Fisher <i>Dan V.</i>	Obs. Agency: GILA COUNTY
Latitude: 34 18' 54.3" N		Longitude: 111 01' 37.6 W		Height:
Session Start: UTC / Local <i>1948 / 12:48 pm</i>		Scheduled Start: UTC / Local 2215 / 03:15 PM		Recording Interval: (Seconds) 15
Session End: UTC / Local <i>2215 13:15 pm</i>		Scheduled End: UTC / Local 2215 / 03:15 PM		Elevation Mask: (Degrees) 10°
Antenna Model Number: 4800		Receiver Model Number: 4800		Antenna Mount: (Check one)
Antenna Serial Number: 0220165440		Receiver Serial Number: 0220165440		Fixed Height Pole: <input checked="" type="checkbox"/> Slip Leg Tripod: <input type="checkbox"/>

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Trimble	A = Datum point to top of Tripod (tripod height)	<i>2.000</i>		<i>2.000</i>	
Receiver Manufacturer:	B = Additional Offset to ARP (Tribrach, etc.)	<i>0</i>		<i>—</i>	
	H = A + B (Antenna Height) = Datum Point to ARP	<i>2.000</i>		<i>2.000</i>	


>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start	<i>1248 pm</i>								<i>01001</i>
Serial Number:	Middle	<i>2:00 pm</i>								<i>01002</i>
Psychrometer	End	<i>3:15 pm</i>								<i>01002</i>
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)



~~Gila Tripod 2/Receiver 2~~

Hixon 031 / Receiver 2 Trimble



Log Checked By:

GPS Observation Log

Station Name: DIAMOND POINT (Session 3) PID: ES0971		Date: 09/03/04	Day Number: 247	4-Char ID:						
Location: Diamond Point USGS Quad, Gila County, Arizona			Observer: C Ozuna	Obs. Agency: GILA COUNTY						
Latitude: 34 17' 15.05" N		Longitude: 111 11' 34.01" W		Height:						
Session Start: UTC / Local 1946 / 12:46 PM		Scheduled Start: UTC / Local 2215 / 03:15 PM 12:45 PM		Recording Interval: (Seconds) 15						
Session End: UTC / Local 2215 / 03:15 PM		Scheduled End: UTC / Local 2215 / 03:15 PM		Elevation Mask: (Degrees) 10°						
Antenna Model Number: 33429-00+GP		Receiver Model Number: 4700		Antenna Mount: (Check one)						
Antenna Serial Number: 0220165099		Receiver Serial Number: 0220166602		Fixed Height Pole: <u>X</u>						
				Slip Leg Tripod: _____						
Antenna Manufacturer: Trimble	Antenna Height (see back of form)		Session Start:		Session End:					
			Meters	Feet	Meters	Feet				
	A = Datum point to top of Tripod (tripod height)		1.503		1.503					
Receiver Manufacturer: Trimble	B = Additional Offset to ARP (Tribrach, etc.)		—		—					
	H = A + B (Antenna Height) = Datum Point to ARP		1.503		1.503					
>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<										
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F	C	Wet- Bulb Temp. F	C	Rel. % Humidity	Atm. Pressure Inches	Millibar	Weather Codes
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									00012
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? (Y) / N (Circle One) Gila Tripod 4										
							Log Checked By:			

GPS Observation Log

Station Name: ELLENWOOD (Session 3) PID:	Date: 09/03/04	Day Number: 247	4-Char ID:
---	--------------------------	---------------------------	------------

Location: Diamond Point USGS Quad, Gila County, Arizona	Observer: E-Wisdom <i>Allison Thomas</i>	Obs. Agency: GILA COUNTY
---	---	------------------------------------

Latitude: 34 12' 47.2" N	Longitude: 111 01' 28.6 W	Height:
------------------------------------	-------------------------------------	---------

Session Start: UTC / Local 12:48 P.M.	Scheduled Start: UTC / Local 2215 / 03:15 PM 1245	Recording Interval: (Seconds) 15
---	--	--

Session End: UTC / Local 3:17 p.m.	Scheduled End: UTC / Local 2215 / 03:15 PM	Elevation Mask: (Degrees) 10°
--	--	---

Antenna Model Number: 4800 701975.01A+GP	Receiver Model Number: 4800 ZExtreme	Antenna Mount: (Check one)
---	---	----------------------------

Antenna Serial Number: 0220244639 6890	Receiver Serial Number: 0220244639 3402	Fixed Height Pole: <input checked="" type="checkbox"/> X
		Slip Leg Tripod: _____

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
ASH 3402 Trimble ASH	A = Datum point to top of Tripod (tripod height)	2.000		2.000	2.000
6890 Trimble ASH	B = Additional Offset to ARP (Tribrach, etc.)	—		—	—
	H = A + B (Antenna Height) = Datum Point to ARP	2.000		2.000	2.000

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)

NGS 715 ASH 3402
~~Gila Tripod 3/Receiver 3~~

fairly gusty winds throughout



Log Checked By:

GPS Observation Log

Station Name: ELLISON (Session 3) PID:	Date: 09/03/04	Day Number: 247	4-Char ID:
---	--------------------------	---------------------------	-------------------

Location: Diamond Point USGS Quad, Gila County, Arizona	Observer: J Farr	Obs. Agency: GILA COUNTY
---	----------------------------	------------------------------------

Latitude: 34 21' 38.6" N	Longitude: 111 11' 11.6 W	Height:
------------------------------------	-------------------------------------	----------------

Session Start: UTC / Local 1948 / 12:48 P.M.	Scheduled Start: UTC / Local 2215 / 03:15 PM	Recording Interval: (Seconds) 15
--	--	--

Session End: UTC / Local 2215 / 3:15 P.M.	Scheduled End: UTC / Local 2215 / 03:15 PM	Elevation Mask: (Degrees) 10°
---	--	---

Antenna Model Number: 701975-01A +GP TRM4800	Receiver Model Number: ZExtreme 4800	Antenna Mount: (Check one)
--	--	-----------------------------------

Antenna Serial Number: 6890 5441	Receiver Serial Number: ZE120023402 / 5441	Fixed Height Pole: <input checked="" type="checkbox"/> X
		Slip Leg Tripod: _____

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech TRIMBLE	A = Datum point to top of Tripod (tripod height)	2.000		2.000	
Receiver Manufacturer: Ashtech TRIMBLE	B = Additional Offset to ARP (Tribrach, etc.)	0		0	
	H = A + B (Antenna Height) = Datum Point to ARP	2.000		2.000	

>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)

NGS Tripod : ~~NGS-B~~ /Receiver

TRIPOD #GC 2



Log Checked By:

GPS Observation Log

Station Name: KOHL SR (Session 3)		Date: 09/03/04	Day Number: 247	4-Char ID:
Location: Promontory Butte USGS Quad, Gila County, Arizona		Observer: <i>[Signature]</i>		Obs. Agency: GILA COUNTY
Latitude: 34 19' 35.2" N		Longitude: 111 05' 28.7 W		Height:
Session Start: UTC / Local 1959 / 12:59 PM		Scheduled Start: UTC / Local 2215 / 03:15 PM		Recording Interval: (Seconds) 15
Session End: UTC / Local 2227 / 3:27 PM		Scheduled End: UTC / Local 2215 / 03:15 PM		Elevation Mask: (Degrees) 10°
Antenna Model Number: 701975-01B +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)
Antenna Serial Number: 7034		Receiver Serial Number: ZE120023901		Fixed Height Pole: <input checked="" type="checkbox"/> X
				Slip Leg Tripod: _____

Antenna Manufacturer: Ashtech	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Receiver Manufacturer: Ashtech	A = Datum point to top of Tripod (tripod height)	2.000		2.000	
	B = Additional Offset to ARP (Tribrach, etc.)	0		0	
	H = A + B (Antenna Height) = Datum Point to ARP	2.000		2.000	

>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)

NGS Tripod : 102



Log Checked By:

GPS Observation Log

Station Name: <i>MEADR (3)</i>		Date: <i>9/3/04</i>	Day Number: <i>247</i>	4-Char ID:			
Location: <i>Diamond Point, Gila County, AZ</i>			Observer: <i>SMOKEY</i>	Obs. Agency: GILA COUNTY			
Latitude:		Longitude:		Height: 1228 M			
Session Start: UTC / Local <i>1946 / 1245</i>		Scheduled Start: UTC / Local <i>1945 / 1245</i>		Recording Interval: (Seconds) 15			
Session End: UTC / Local <i>#92215 / 1515</i>		Scheduled End: UTC / Local <i>2215 / 1515</i>		Elevation Mask: (Degrees) 10°			
Antenna Model Number: <i>PG A1</i>		Receiver Model Number: <i>Legacy E</i>		Antenna Mount: (Check one)			
Antenna Serial Number: <i>0837</i>		Receiver Serial Number: <i>2373</i>		Fixed Height Pole: <input checked="" type="checkbox"/> <u>X</u>			
				Slip Leg Tripod: _____			
Antenna Manufacturer: <i>Topcon</i>		Antenna Height (see back of form)		Session Start:			
		A = Datum point to top of Tripod (tripod height)		Meters	Feet		
				<i>2.002</i>			
Receiver Manufacturer: <i>Topcon</i>		B = Additional Offset to ARP (Tribrach, etc.)		Meters	Feet		
		H = A + B (Antenna Height) = Datum Point to ARP		<i>0.10</i>			
				<i>2.102</i>			
>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<							
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F C	Wet- Bulb Temp. F C	Rel. % Humidity	Atm. Pressure Inches Millibar	Weather Codes
Part Number:	Start						
Serial Number:	Middle						
Psychrometer	End						
Average of Readings							

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)

Tripod Gila 6

LOG PAGE TRANSCRIBED - ORIGINAL DESTROYED FROM WATER DAMAGE 8/16/2006. *rtk*



Log Checked By: *rtk*

GPS Observation Log

Station Name: MILLER (Session 3) PID: ES0982	Date: 09/03/04	Day Number: 247	4-Char ID:
--	--------------------------	---------------------------	------------

Location: Kehl Ridge USGS Quad, Gila County, Arizona	Observer: G Tamietti ✓	Obs. Agency: GILA COUNTY
--	----------------------------------	------------------------------------

Latitude: 34 26' 18.60" N	Longitude: 111 16' 43.49" W	Height:
-------------------------------------	---------------------------------------	---------

Session Start: UTC / Local 1946 / 12:46 PM	Scheduled Start: UTC / Local 2215 / 03:15 PM - 12:45	Recording Interval: (Seconds) 15
--	--	--

Session End: UTC / Local 2215 / 3:15 PM	Scheduled End: UTC / Local 2215 / 03:15 PM	Elevation Mask: (Degrees) 10°
---	--	---

Antenna Model Number: Hiper+ GGD	Receiver Model Number: Hiper+ GGD ✓	Antenna Mount: (Check one)
--	---	----------------------------

Antenna Serial Number: 251-0539 ✓	Receiver Serial Number: 251-0539 ✓	Fixed Height Pole: <u> X </u>
		Slip Leg Tripod: <u> </u>



Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Topcon ✓	A = Datum point to top of Tripod (tripod height)	2.004		2.004	
	B = Additional Offset to ARP (Tribrach, etc.)	/		0	
	H = A + B (Antenna Height) = Datum Point to ARP	2.004		2.004	

>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start	12:46								00002
Serial Number:	Middle									
Psychrometer	End	3:15								00002
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
 Antenna Set to True North? Y / **N** (Circle One)

Gila Tripod 5 ✓

Log Checked By:

GPS Observation Log

Station Name: THOMDRAW (Session 3)		Date: 09/03/04	Day Number: 247	4-Char ID:
Location: Promontory Butte USGS Quad, Gila County, Arizona		Observer: <i>Allen</i>	Obs. Agency: GILA COUNTY	
Latitude: 34 17' 52.3" N		Longitude: 111 06' 19.4 W		Height:
Session Start: UTC / Local 1946 / 12:46 PM		Scheduled Start: UTC / Local 2215 / 03:15 PM		Recording Interval: (Seconds) 15
Session End: UTC / Local 2215 / 3:15 PM		Scheduled End: UTC / Local 2215 / 03:15 PM		Elevation Mask: (Degrees) 10°
Antenna Model Number: 701975-01A +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)
Antenna Serial Number: 6931		Receiver Serial Number: ZE120023406		Fixed Height Pole: <input checked="" type="checkbox"/> X
				Slip Leg Tripod: <input type="checkbox"/>

Antenna Manufacturer: Ashtech	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Receiver Manufacturer: Ashtech	A = Datum point to top of Tripod (tripod height)	<i>2.00</i>		<i>2.00</i>	
	B = Additional Offset to ARP (Tribrach, etc.)	<i>.002</i>		<i>.002</i>	
	H = A + B (Antenna Height) = Datum Point to ARP	<i>2.002</i>		<i>2.002</i>	

>>>>> **A** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									



Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)

NGS Tripod : 105





Log Checked By:

GPS Observation Log

Station Name: TONTOVIL (Session 3) PID:		Date: 09/03/04	Day Number: 247	4-Char ID:						
Location: Diamond Point USGS Quad, Gila County, Arizona		Observer: <i>Smakey</i>	Obs. Agency: GILA COUNTY							
Latitude: 34 19' 04.8" N		Longitude: 111 08' 30.7 W		Height:						
Session Start: UTC / Local 1948 / 1248		Scheduled Start: UTC / Local 2215 / 03:15 PM 1245		Recording Interval: (Seconds) 15						
Session End: UTC / Local 2230 / 1530		Scheduled End: UTC / Local 2215 / 03:15 PM 1515		Elevation Mask: (Degrees) 10°						
Antenna Model Number: 701975-01A +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one) Fixed Height Pole: <input checked="" type="checkbox"/> X Slip Leg Tripod: <input type="checkbox"/>						
Antenna Serial Number: 6845		Receiver Serial Number: ZE120023223 ✓								
Antenna Manufacturer: Ashtech	Antenna Height (see back of form)		Session Start:		Session End:					
			Meters	Feet	Meters	Feet				
	A = Datum point to top of Tripod (tripod height)		<i>2.000</i>		<i>2.000</i>					
Receiver Manufacturer: Ashtech	B = Additional Offset to ARP (Tribrach, etc.)		<i>—</i>		<i>—</i>					
	H = A + B (Antenna Height) = Datum Point to ARP		<i>2.000</i>		<i>2.000</i>					
>>>>> Λ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<										
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F C		Wet- Bulb Temp. F C		Rel. % Humidity	Atm. Pressure Inches Millibar		Weather Codes
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? Y / N (Circle One) NGS Tripod : 106 108										
 								Log Checked By:		

GPS Observation Log

Station Name: WASHPARK (Session 3)		Date: 09/03/04	Day Number: 247	4-Char ID:						
Location: Kehl Ridge USGS Quad, Gila County, Arizona		Observer: N Frantner	Obs. Agency: GILA COUNTY							
Latitude: 34 24' 45.2" N		Longitude: 111 16' 06.3 W		Height:						
Session Start: UTC / Local 1948 / 12:48		Scheduled Start: UTC / Local 2215 / 03:15 PM		Recording Interval: (Seconds) 15						
Session End: UTC / Local 2215 / 3:15		Scheduled End: UTC / Local 2215 / 03:15 PM		Elevation Mask: (Degrees) 10°						
Antenna Model Number: 701975-01A +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)						
Antenna Serial Number: 6778		Receiver Serial Number: ZE120022807		Fixed Height Pole: <input checked="" type="checkbox"/> <u>X</u>						
				Slip Leg Tripod: _____						
Antenna Manufacturer: Ashtech	Antenna Height (see back of form)		Session Start:		Session End:					
			Meters	Feet	Meters	Feet				
	A = Datum point to top of Tripod (tripod height)		1.801		1.801					
	B = Additional Offset to ARP (Tribrach, etc.)		0		—					
Receiver Manufacturer: Ashtech	H = A + B (Antenna Height) = Datum Point to ARP		1.801		1.801					
>>>>> Λ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<										
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
	Part Number:	Start	F	C	F	C		Inches	Millibar	
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? Y / N (Circle One) NGS Tripod : 104										
 								Log Checked By:		

GPS Observation Log

Station Name: M26 (Session 3) X-142 PID: ES0190 ES0193	Date: 09/03/04	Day Number: 247	4-Char ID:
---	--------------------------	---------------------------	------------

Location: Woods Canyon USGS Quad, Gila County, Arizona	Observer: R Bunger	Obs. Agency: GILA COUNTY
--	------------------------------	------------------------------------

Latitude: 34°20'37.81" N 34°18'48.3"	Longitude: 110°58'33.56" W 110°55'54.2"	Height:
---	--	---------

Session Start: UTC / Local 1946 / 12:46 PM	Scheduled Start: UTC / Local 2215 / 03:15 PM	Recording Interval: (Seconds) 15
--	---	--

Session End: UTC / Local 2222 13:22 PM	Scheduled End: UTC / Local 2215 / 03:15 PM	Elevation Mask: (Degrees) 10°
--	---	---

Antenna Model Number: 4800	Receiver Model Number: 4800	Antenna Mount: (Check one)
--------------------------------------	---------------------------------------	----------------------------

Antenna Serial Number: 022016 5001 4639	Receiver Serial Number: 022016 5001 4639	Fixed Height Pole: <input checked="" type="checkbox"/> <u> X </u>
		Slip Leg Tripod: <input type="checkbox"/>

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Trimble	A = Datum point to top of Tripod (tripod height)	1.802 1.800		1.802 1.800	5.577
	B = Additional Offset to ARP (Tribrach, etc.)	—		—	
	H = A + B (Antenna Height) = Datum Point to ARP	1.802 1.800		1.802 1.800	


>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<


Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									80112
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
 Antenna Set to True North? Y / N (Circle One)

Gila-Tripod-1/Receiver 1

NGS B





Log
Checked
By: