


GPS Observation Log

Station Name: CHRISCRK (Session 1)		Date: 09/07/04	Day Number: 251	4-Char ID:			
Location: Promontory Butte USGS Quad, Gila County, Arizona		Observer: J Scott <i>Collins</i>	Obs. Agency: GILA COUNTY				
Latitude: 34 18' 54.3" N		Longitude: 111 01' 37.6 W		Height:			
Session Start: UTC / Local 1353 / 6:53 AM		Scheduled Start: UTC / Local 2215 / 03:15 PM		Recording Interval: (Seconds) 15			
Session End: UTC / Local 1715 / 10:15 AM		Scheduled End: UTC / Local 2215 / 03:15 PM		Elevation Mask: (Degrees) 10°			
Antenna Model Number: 4800		Receiver Model Number: 4800		Antenna Mount: (Check one)			
Antenna Serial Number: 0220165440		Receiver Serial Number: 0220165440		Fixed Height Pole: <input checked="" type="checkbox"/> X			
				Slip Leg Tripod: <input type="checkbox"/>			
Antenna Manufacturer: Trimble	Antenna Height (see back of form)		Session Start: Meters Feet		Session End: Meters Feet		
	A = Datum point to top of Tripod (tripod height)		2.000		2.000		
	B = Additional Offset to ARP (Tribrach, etc.)		0		0		
Receiver Manufacturer: Trimble	H = A + B (Antenna Height) = Datum Point to ARP		2.000		2.000		
	>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<						
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F C	Wet- Bulb Temp. F C	Rel. % Humidity	Atm. Pressure Inches Millibar	Weather Codes
Part Number:	Start						
Serial Number:	Middle						
Psychrometer	End						
	Average of Readings						

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)



Gila Tripod 2/Receiver 2

TRIPOD D31



Log Checked By:

GPS Observation Log

Station Name: CLINE (SESSION 1)		Date: 09/07/04	Day Number: 251	4-Char ID:			
Location: BUZZARD ROOST MESA USGS QUAD, GILA COUNTY ARIZONA		Observer: R. BLINGER	Obs. Agency: GILA COUNTY				
Latitude: 34° 04' 45.49" N		Longitude: 111° 02' 26.62 W		Height:			
Session Start: UTC / Local 1422 / 7:22 AM.		Scheduled Start: UTC / Local 1445 / 7:45 AM		Recording Interval: (Seconds) 15			
Session End: UTC / Local 1715 / 10:15		Scheduled End: UTC / Local 1715 / 10:15 AM		Elevation Mask: (Degrees) 10°			
Antenna Model Number: 4800		Receiver Model Number: 4800		Antenna Mount: (Check one)			
Antenna Serial Number: 0220165441		Receiver Serial Number: 0220165441		Fixed Height Pole: <input checked="" type="checkbox"/> X			
Antenna Manufacturer: TRIMBLE		Antenna Height (see back of form)		Session Start:			
Receiver Manufacturer: TRIMBLE		A = Datum point to top of Tripod (tripod height)		Meters Feet			
		B = Additional Offset to ARP (Tribrach, etc.)		Meters Feet			
		H = A + B (Antenna Height) = Datum Point to ARP		Meters Feet			
>>>>> Λ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<							
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F C	Wet- Bulb Temp. F C	Rel. % Humidity	Atm. Pressure Inches Millibar	Weather Codes
Part Number:	Start						00100
Serial Number:	Middle						
Psychrometer	End						00100
	Average of Readings						
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? Y / N (Circle One) GILA TRIPOD #2 / RECEIVER #1 G.C. TRIMBLE 4800 SESSION 1 FAILED TO LOG							
				Log Checked By:			

GPS Observation Log

Station Name: COLCORD (Session 1) PID:	Date: 09/07/04	Day Number: 251	4-Char ID:
---	---------------------------------	----------------------------------	-------------------

Location: Woods Canyon USGS Quad, Gila County, Arizona	Observer: J Ortega <i>Wes. Wikson</i>	Obs. Agency: GILA COUNTY
---	---	---

Latitude: 34 16' 03.6" N	Longitude: 110 53' 47.0 W	Height:
---	--	----------------

Session Start: UTC / Local <i>0745 / 7:45</i>	Scheduled Start: UTC / Local 2215 / 03:15 PM <i>0745 / 7:45 A.M.</i>	Recording Interval: (Seconds) 15
---	--	---

Session End: UTC / Local 0745 / 7:45 <i>10:15 / 10:15</i>	Scheduled End: UTC / Local 2215 / 03:15 PM <i>10:15 A.M.</i>	Elevation Mask: (Degrees) 10°
--	--	--

Antenna Model Number: 701975-01A +GP	Receiver Model Number: ZExtreme	Antenna Mount: (Check one)
---	--	-----------------------------------

Antenna Serial Number: 6820	Receiver Serial Number: ZE120022810 ✓	Fixed Height Pole: <input checked="" type="checkbox"/> X
		Slip Leg Tripod: _____



Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech	A = Datum point to top of Tripod (tripod height)	<i>2.0M.</i>		<i>2,000</i>	
	B = Additional Offset to ARP (Tribrach, etc.)	<i>0</i>		<i>-</i>	
	H = A + B (Antenna Height) = Datum Point to ARP	<i>2.0M.</i>		<i>2,000</i>	

>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start	<i>0745</i>								<i>00000</i>
Serial Number:	Middle	<i>0900</i>								<i>00000</i>
Psychrometer	End	<i>1015</i>								<i>00000</i>
	Average of Readings									

(busty winds)
(busty winds)

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? (Y) / N (Circle One)
NGS Tripod : 103 *Tripod # 101*

Log Checked By:

GPS Observation Log

Station Name: EDJOY (Session 1) ✓ PID:	Date: 09/07/04 ✓	Day Number: 251	4-Char ID:
---	----------------------------	---------------------------	------------

Location: Diamond Butte USGS Quad, Gila County, Arizona	Observer: G Tamietti ✓	Obs. Agency: GILA COUNTY
---	----------------------------------	------------------------------------

Latitude: 34 07' 39.4" N	Longitude: 111 02' 14.9 W	Height:
------------------------------------	-------------------------------------	---------

Session Start: UTC / Local 147 / 7:17 7:17 AM	Scheduled Start: UTC / Local 2215 / 03:15 PM 7:45 10:15 AM	Recording Interval: (Seconds) 15
--	---	--

Session End: UTC / Local 1716 / 10:16 AM	Scheduled End: UTC / Local 2215 / 03:15 PM 10:15	Elevation Mask: (Degrees) 10°
--	---	---

Antenna Model Number: Hiper+ GGD ✓	Receiver Model Number: Hiper+ GGD ✓	Antenna Mount: (Check one)
--	---	----------------------------

Antenna Serial Number: 251-0539 ✓	Receiver Serial Number: 251-0539 ✓	Fixed Height Pole: <u> X </u>
		Slip Leg Tripod: _____


Antenna Manufacturer: Topcon ✓	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
	A = Datum point to top of Tripod (tripod height)	2.004		2.004	
Receiver Manufacturer: Topcon ✓	B = Additional Offset to ARP (Tribrach, etc.)	/		-	
	H = A + B (Antenna Height) = Datum Point to ARP	2.004		2.004	


>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start	7:17								0000
Serial Number:	Middle									
Psychrometer	End	10:15								0000
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
 Antenna Set to True North? Y / **N** (Circle One)

Gila Tripod 5 ✓





Log Checked By:

GPS Observation Log


Station Name: ELLENWOOD (Session 1)		Date: 09/07/04	Day Number: 251	4-Char ID:
Location: Diamond Point USGS Quad, Gila County, Arizona		Observer: E Wisdom <i>Allison Thomas</i>	Obs. Agency: GILA COUNTY	
Latitude: 34 12' 47.2" N		Longitude: 111 01' 28.6 W		Height:
Session Start: UTC / Local <i>7:42 A.M.</i>		Scheduled Start: UTC / Local 2215 / 03:45 PM 745		Recording Interval: (Seconds) 15
Session End: UTC / Local <i>10:15 A.M.</i>		Scheduled End: UTC / Local 2215 / 03:45 PM 105		Elevation Mask: (Degrees) 10°
Antenna Model Number: 4800 <i>701975-01A+GP</i>		Receiver Model Number: 4800 <i>2 Extreme</i>		Antenna Mount: (Check one)
Antenna Serial Number: 0220244639 <i>6890</i>		Receiver Serial Number: 0220244639 <i>3402</i>		Fixed Height Pole: <input checked="" type="checkbox"/> <u>X</u>
Slip Leg Tripod: _____				

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
<i>ASH 3402</i> Trimble <i>ASH</i>	A = Datum point to top of Tripod (tripod height)	<i>2.00</i>		<i>2.000</i>	2.000
<i>6890</i> Trimble <i>ASH</i>	B = Additional Offset to ARP (Tribrach, etc.)	<i>—</i>		<i>—</i>	<i>—</i>
	H = A + B (Antenna Height) = Datum Point to ARP	<i>2.000</i>		<i>2.000</i>	2.000

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet-Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
 Antenna Set to True North? Y / N (Circle One)
NGS T15 ASH 3402
Gila Tripod 3/Receiver 3
pretty breezy
9:22 AM. - adjusted bubble centering



Log Checked By:

GPS Observation Log

Station Name: GORDONCYN (Session 1) PID:	Date: 09/07/04	Day Number: 251	4-Char ID:
---	---------------------------------	----------------------------------	-------------------

Location: Woods Canyon USGS Quad, Gila County, Arizona	Observer: J Ortega <i>Wes. Wikson</i>	Obs. Agency: GILA COUNTY
---	---	---

Latitude: 34 17' 20.9" N	Longitude: 110 56' 04.0 W	Height:
---	--	----------------

Session Start: UTC / Local <i>0712 / 7:12</i>	Scheduled Start: UTC / Local 2215 / 03:15 PM <i>0745 / 7:45 AM</i>	Recording Interval: (Seconds) 15
---	--	---

Session End: UTC / Local <i>17:15 / 10:15</i>	Scheduled End: UTC / Local 2215 / 03:15 PM <i>1015 / 10:15 A.M.</i>	Elevation Mask: (Degrees) 10°
---	---	--

Antenna Model Number: 701975-01A +GP	Receiver Model Number: ZExtreme	Antenna Mount: (Check one)
---	--	-----------------------------------

Antenna Serial Number: 6863	Receiver Serial Number: ZE120023229	Fixed Height Pole: <input checked="" type="checkbox"/> X
		Slip Leg Tripod: _____


Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech	A = Datum point to top of Tripod (tripod height)	<i>2.002</i>		<i>2.002</i>	
	B = Additional Offset to ARP (Tribrach, etc.)	<i>0</i>		<i>0</i>	
	H = A + B (Antenna Height) = Datum Point to ARP	<i>2.002</i>		<i>2.002</i>	


>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start	<i>0712</i>								<i>00000</i>
Serial Number:	Middle	<i>0900</i>								
Psychrometer	End	<i>1015</i>								
Average of Readings										

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? **Y** / **N** (Circle One)



NGS Tripod : NGS-R /Receiver
Tripod # 106





Log Checked By:

GPS Observation Log

Station Name: HAIGLER (Session 1)		Date: 09/07/04	Day Number: 251	4-Char ID:						
Location: Oxbow MT USGS Quad, Gila County, Arizona		Observer: A-Thomas <i>ED WISDOM</i>	Obs. Agency: GILA COUNTY							
Latitude: 34 12' 22.2" N		Longitude: 110 58' 18.7 W		Height: 1802						
Session Start: UTC / Local 1435 / 7:35		Scheduled Start: UTC / Local 2215 / 03:15 PM		Recording Interval: (Seconds) 15						
Session End: UTC / Local 1715 / 10:15		Scheduled End: UTC / Local 2215 / 03:15 PM		Elevation Mask: (Degrees) 10°						
Antenna Model Number: 701975-01A +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)						
Antenna Serial Number: 6931 *		Receiver Serial Number: ZE120023406		Fixed Height Pole: <input checked="" type="checkbox"/> X						
				Slip Leg Tripod: <input checked="" type="checkbox"/>						
Antenna Manufacturer: Ashtech ✓	Antenna Height (see back of form)		Session Start:		Session End:					
			Meters	Feet	Meters	Feet				
	A = Datum point to top of Tripod (tripod height)		1.802		1.802					
Receiver Manufacturer: Ashtech 3406	B = Additional Offset to ARP (Tribrach, etc.)		0		0					
	H = A + B (Antenna Height) = Datum Point to ARP		1.802		1.802					
>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<										
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
	Part Number:	Start								
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? Y / N (Circle One) NGS Tripod : 105 — G23										
							Log Checked By:			

Photo

GPS Observation Log

Station Name: M6 (Session 1) PID: ES0217	Date: 09/07/04	Day Number: 251	4-Char ID:
--	--------------------------	---------------------------	------------

Location: OW Point USGS Quad, Gila County, Arizona	Observer: T. Homan Smalley	Obs. Agency: GILA COUNTY
--	--	------------------------------------

Latitude: 34 19' 20.83" N	Longitude: 110 45' 08.71" W	Height:
-------------------------------------	---------------------------------------	---------

Session Start: UTC / Local 1500 / 10900	Scheduled Start: UTC / Local 2215 / 0745 PM	Recording Interval: (Seconds) 15
---	---	--

Session End: UTC / Local 1741 / 1041	Scheduled End: UTC / Local 2215 / 1015 PM	Elevation Mask: (Degrees) 10°
--	---	---

Antenna Model Number: 701975-01B +GP	Receiver Model Number: ZExtreme	Antenna Mount: (Check one)
--	---	----------------------------

Antenna Serial Number: 7034	Receiver Serial Number: ZE120023901	Fixed Height Pole: <input checked="" type="checkbox"/> <u>X</u>
		Slip Leg Tripod: <input type="checkbox"/>

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech	A = Datum point to top of Tripod (tripod height)	2.000		2.000	
	B = Additional Offset to ARP (Tribrach, etc.)	—		—	
	H = A + B (Antenna Height) = Datum Point to ARP	2.000		2.000	

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
Average of Readings										



Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? **Y / N** (Circle One)

NGS Tripod : 102 ✓



Log Checked By:

GPS Observation Log

Station Name: NAEGOLIN (Session 1)		Date: 09/07/04	Day Number: 251	4-Char ID:						
PID: OW Point USGS Quad, Gila County, Arizona		Observer: N Frantner	Obs. Agency: GILA COUNTY							
Latitude: 34 15' 15.71" N		Longitude: 110 50' 30.5" W		Height:						
Session Start: UTC / Local 1433 / 7:33 AM		Scheduled Start: UTC / Local 2215 / 03:15 PM		Recording Interval: (Seconds) 15						
Session End: UTC / Local 1715 / 10:15 AM		Scheduled End: UTC / Local 2215 / 03:15 PM		Elevation Mask: (Degrees) 10°						
Antenna Model Number: 701975-01A +GP		Receiver Model Number: ZExtreme		Antenna Mount: (Check one)						
Antenna Serial Number: 6778 6845		Receiver Serial Number: ZE120022807 3223		Fixed Height Pole: <input checked="" type="checkbox"/>						
				Slip Leg Tripod: <input type="checkbox"/>						
Antenna Manufacturer: Ashtech #3	Antenna Height (see back of form)		Session Start:		Session End:					
	A = Datum point to top of Tripod (tripod height)		Meters	Feet	Meters	Feet				
	B = Additional Offset to ARP (Tribrach, etc.)									
Receiver Manufacturer: Ashtech	H = A + B (Antenna Height) = Datum Point to ARP									
>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<										
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
	Part Number:	Start	F	C	F	C	Inches	Millibar		
	Serial Number:	Middle								
Psychrometer	End									
	Average of Readings									
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? Y / N (Circle One) NGS Tripod : 104 #3 NGS103										
 								Log Checked By:		

GPS Observation Log

Station Name: PVA (Session 1) PID:	Date: 09/07/04	Day Number: 251	4-Char ID:
---	--------------------------	---------------------------	-------------------

Location: Oxbow MT USGS Quad, Gila County, Arizona	Observer: T. Lukie T. Quinn	Obs. Agency: GILA COUNTY
--	--	------------------------------------

Latitude: 34 09' 23.06" N	Longitude: 110 56' 28.34" W	Height:
-------------------------------------	---------------------------------------	----------------

Session Start: UTC / Local 1449 / 7:49	Scheduled Start: UTC / Local 2215 / 03:15 PM 7:45	Recording Interval: (Seconds) 15
--	---	--

Session End: UTC / Local 1715 / 10:15	Scheduled End: UTC / Local 2215 / 03:15 PM 10:15	Elevation Mask: (Degrees) 10°
---	--	---

Antenna Model Number: PG-A1 OK	Receiver Model Number: Legacy E OK	Antenna Mount: (Check one)
--	--	-----------------------------------

Antenna Serial Number: 235-0837 OK	Receiver Serial Number: 268-2373 235 OK	Fixed Height Pole: <input checked="" type="checkbox"/> X Slip Leg Tripod: <input type="checkbox"/>
--	---	--


Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Topcon OK	A = Datum point to top of Tripod (tripod height)	2.00		2.00	
Receiver Manufacturer: Topcon OK	B = Additional Offset to ARP (Tribrach, etc.)	0.100 0.10		0.100 0.1	
	H = A + B (Antenna Height) = Datum Point to ARP	2.100 2.01		2.100 2.01	

>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									00000
Serial Number:	Middle									00001
Psychrometer	End									00001
	Average of Readings									00001

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? Y / N (Circle One)

Gila Tripod 6 D3132



Log Checked By:

GPS Observation Log

Station Name: TUTTLE (Session 1) PID:	Date: 09/07/04	Day Number: 251	4-Char ID:
--	--------------------------	---------------------------	------------

Location: OW Point USGS Quad, Gila County, Arizona	Observer: F Homan	Obs. Agency: GILA COUNTY
--	-----------------------------	------------------------------------

Latitude: 34 19' 17.5" N	Longitude: 110 50' 45.7 W	Height:
------------------------------------	-------------------------------------	---------

Session Start: UTC / Local 07:47 AM 1447	Scheduled Start: UTC / Local 2215 / 03:15 PM	Recording Interval: (Seconds) 15
--	--	--

Session End: UTC / Local 10:15 AM 1715	Scheduled End: UTC / Local 2215 / 03:15 PM	Elevation Mask: (Degrees) 10°
--	--	---

Antenna Model Number: 701975-01A +GP	Receiver Model Number: ZExtreme	Antenna Mount: (Check one)
--	---	----------------------------

Antenna Serial Number: 6845 6778	Receiver Serial Number: ZE120023223 2807	Fixed Height Pole: <u>X</u>
		Slip Leg Tripod: _____

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Ashtech	A = Datum point to top of Tripod (tripod height)	2.000		2.000	
	B = Additional Offset to ARP (Tribrach, etc.)			0	
	H = A + B (Antenna Height) = Datum Point to ARP	2.000		2.000	

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. **7** <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? **(Y)** / N (Circle One)

NGS Tripod : 106

108 Tuttle



Log Checked By:

Woods Canyon

GPS Observation Log

Station Name: X142 (Session 1) PID: ES0193	Date: 09/07/04	Day Number: 251	4-Char ID:
--	--------------------------	---------------------------	------------

Location: Woods Canyon USGS Quad, Gila County, Arizona	Observer: R Burger Smalley	Obs. Agency: GILA COUNTY
--	--	------------------------------------

Latitude: 48.31 34 18' 52.71" N	Longitude: 54.21 110 55' 52.01" W	Height:
--	--	---------

Session Start: UTC / Local 1425 / 0725	Scheduled Start: UTC / Local 2215 / 03:45 PM 0745	Recording Interval: (Seconds) 15
--	--	--

Session End: UTC / Local 1715 / 1015	Scheduled End: UTC / Local 2215 / 03:45 PM 1015	Elevation Mask: (Degrees) 10°
--	--	---

Antenna Model Number: #N/A 4800	Receiver Model Number: #N/A 4800	Antenna Mount: (Check one)
--	---	----------------------------

Antenna Serial Number: #N/A 4639	Receiver Serial Number: #N/A 4639	Fixed Height Pole: <input checked="" type="checkbox"/> X
		Slip Leg Tripod: _____

Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
#N/A TRM	A = Datum point to top of Tripod (tripod height)	2.002		2.002	
Receiver Manufacturer: #N/A TRM	B = Additional Offset to ARP (Tribrach, etc.)	—		0	
	H = A + B (Antenna Height) = Datum Point to ARP	2.002		2.002	

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
	Average of Readings									

Remarks, Comments on Problems, Sketches, etc:
 Antenna Set to True North? Y / N (Circle One)
#N/A **NGS B**



Log Checked By:
