





GPS Observation Log

Station Name: CAMPG (Session 3) PID: - WashPark ReOB		Date: 10/12/05	Day Number: 285	4-Char ID:			
Location: Kehl Ridge USGS Quad, Gila County, Arizona			Observer: T HOMAN	Obs. Agency: GILA COUNTY			
Latitude: 34 24' 09.0" N		Longitude: 111 22' 05.7 W		Height:			
Session Start: UTC / Local 1945 / 1245		Scheduled Start: UTC / Local 1945 / 12:45 PM		Recording Interval: (Seconds) 15			
Session End: UTC / Local 2215 / 315		Scheduled End: UTC / Local 2215 / 03:15 PM		Elevation Mask: (Degrees) 10°			
Antenna Model Number: 4800 ASH 701975.01A+GP		Receiver Model Number: 4800 Z EXTREME		Antenna Mount: (Check one)			
Antenna Serial Number: 0220165440 6778		Receiver Serial Number: 0220165440 2807		Fixed Height Pole: <input checked="" type="checkbox"/> <u>X</u>			
		Slip Leg Tripod: _____					
Antenna Manufacturer: Trimble ASH	Antenna Height (see back of form)		Session Start:		Session End:		
	A = Datum point to top of Tripod (tripod height)		Meters	Feet	Meters	Feet	
Receiver Manufacturer: Trimble ASH	B = Additional Offset to ARP (Tribrach, etc.)						
	H = A + B (Antenna Height) = Datum Point to ARP						
>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<							
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F C	Wet- Bulb Temp. F C	Rel. % Humidity	Atm. Pressure Inches Millibar	Weather Codes
Part Number:	Start						
Serial Number:	Middle						
Psychrometer	End						
	Average of Readings						
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? Y / N (Circle One) Gila Tripod 2/Receiver-2 NGS TRIPOD 09							
 						Log Checked By:	

GPS Observation Log

Station Name: MILLER (Session 1) PID: ES0982- WashPark ReOB		Date: 10-12-05	Day Number: 285	4-Char ID:						
Location: Kehl Ridge USGS Quad, Gila County, Arizona			Observer: TAMIETTI	Obs. Agency: GILA COUNTY						
Latitude: 34 26' 18.60" N		Longitude: 111 16' 43.49" W		Height:						
Session Start: UTC / Local / 7:20 AM		Scheduled Start: UTC / Local 1445 / 07:45 AM		Recording Interval: (Seconds) 15						
Session End: UTC / Local / 10:20 AM		Scheduled End: UTC / Local 1715 / 10:15 AM		Elevation Mask: (Degrees) 10°						
Antenna Model Number: Hiper+ GGD		Receiver Model Number: Hiper+ GGD		Antenna Mount: (Check one)						
Antenna Serial Number: 251-0539		Receiver Serial Number: 251-0539		Fixed Height Pole: <input checked="" type="checkbox"/> X						
				Slip Leg Tripod: _____						
Antenna Manufacturer: Topcon	Antenna Height (see back of form)		Session Start:		Session End:					
			Meters	Feet	Meters	Feet				
	A = Datum point to top of Tripod (tripod height)		2.002		2.002					
Receiver Manufacturer: Topcon	B = Additional Offset to ARP (Tribrach, etc.)									
	H = A + B (Antenna Height) = Datum Point to ARP		2.002		2.002					
>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<										
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F C		Wet- Bulb Temp. F C		Rel. % Humidity	Atm. Pressure Inches Millibar		Weather Codes
Part Number:	Start									00000
Serial Number:	Middle									
Psychrometer	End									00011
	Average of Readings									
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? Y / N (Circle One) Gila Tripod # 6										
								Log Checked By:		

GPS Observation Log

Station Name: WASHPARK (Session 1) PID: - WashPark ReOB		Date: <i>10/12/2005</i>	Day Number: <i>285</i>	4-Char ID:
Location: Kehl Ridge USGS Quad, Gila County, Arizona		Observer: <i>CPM</i>	Obs. Agency: GILA COUNTY	
Latitude: 34 24' 45.2" N		Longitude: 111 16' 06.3 W		Height:
Session Start: UTC / Local <i>1424 / 07:24 AM</i>		Scheduled Start: UTC / Local 1445 / 07:45 AM		Recording Interval: (Seconds) 15
Session End: UTC / Local <i>1720 / 10:20 AM</i>		Scheduled End: UTC / Local 1715 / 10:15 AM		Elevation Mask: (Degrees) 10°
Antenna Model Number: 4800		Receiver Model Number: 4800		Antenna Mount: (Check one)
Antenna Serial Number: 0220244639 <i>0220165440</i>		Receiver Serial Number: 0220244639 <i>0220165440</i>		Fixed Height Pole: <input checked="" type="checkbox"/> <u> X </u>
				Slip Leg Tripod: <input type="checkbox"/>


Antenna Manufacturer:	Antenna Height (see back of form)	Session Start:		Session End:	
		Meters	Feet	Meters	Feet
Trimble	A = Datum point to top of Tripod (tripod height)	<i>2.000M</i>	<i>6.561'</i>	<i>2.000M</i>	<i>6.561'</i>
	B = Additional Offset to ARP (Tribrach, etc.)	<i>0</i>	<i>0</i>	<i>0</i>	<i>0</i>
	H = A + B (Antenna Height) = Datum Point to ARP	<i>2.000M</i>	<i>6.561'</i>	<i>2.000M</i>	<i>6.561'</i>

>>>>> **Λ** EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<

Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
Part Number:	Start									
Serial Number:	Middle									
Psychrometer	End									
Average of Readings										



Remarks, Comments on Problems, Sketches, etc:
Antenna Set to True North? / N (Circle One)

Gila Tripod ²/₃/Receiver ²/₃



Log
Checked
By:

GPS Observation Log

Station Name: WHISPER (Session 1) PID: - WashPark ReOB		Date: <i>10-12-05</i>	Day Number: <i>285</i>	4-Char ID:			
Location: Kehl Ridge USGS Quad, Gila County, Arizona			Observer: <i>R. BUNGER</i>	Obs. Agency: GILA COUNTY			
Latitude: 34 22' 39.7" N		Longitude: 111 17' 16.5 W		Height:			
Session Start: UTC / Local <i>14:44 / 7:44 AM</i>		Scheduled Start: UTC / Local 1445 / 07:45 AM		Recording Interval: (Seconds) 15			
Session End: UTC / Local <i>17:20 / 10:20</i>		Scheduled End: UTC / Local 1715 / 10:15 AM		Elevation Mask: (Degrees) 10°			
Antenna Model Number: 4800		Receiver Model Number: 4800		Antenna Mount: (Check one)			
Antenna Serial Number: 0220165441		Receiver Serial Number: 0220165441		Fixed Height Pole: <input checked="" type="checkbox"/> <u> </u>			
				Slip Leg Tripod: <u> </u>			
Antenna Manufacturer: Trimble	Antenna Height (see back of form)		Session Start: Meters Feet		Session End: Meters Feet		
	A = Datum point to top of Tripod (tripod height)		<i>2.000</i>		<i>2.080</i>		
	B = Additional Offset to ARP (Tribrach, etc.)		<i>0</i>		<i>0</i>		
Receiver Manufacturer: Trimble	H = A + B (Antenna Height) = Datum Point to ARP		<i>2.000M</i>		<i>2.000</i>		
	>>>>> Δ EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<						
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F C	Wet- Bulb Temp. F C	Rel. % Humidity	Atm. Pressure Inches Millibar	Weather Codes
	Part Number:	Start					<i>0</i>
Serial Number:	Middle						<i>0</i>
Psychrometer	End						<i>0</i>
	Average of Readings						
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? <input checked="" type="radio"/> Y / N (Circle One) Gila Tripod 1/Receiver 1 <i>2.000METER FIXED HT.</i>							
 						Log Checked By:	