





GPS Observation Log

Station Name: SLOAN(Session 1) PID: DG5008		Date: 07/13/04	Day Number: 195	4-Char ID:			
Location: Gentry MT USGS Quad, Gila County, Arizona			Observer: TAMIETTI	Obs. Agency: GILA COUNTY			
Latitude: 34 0' 30.04 N		Longitude: 110 47' 20.11 W		Height:			
Session Start: UTC / Local 7231423 / 7:23 AM		Scheduled Start: UTC / Local 1500 / 08:00 AM		Recording Interval: (Seconds) 15			
Session End: UTC / Local 1714 / 10:14 AM		Scheduled End: UTC / Local 1700 / 10:00 AM		Elevation Mask: (Degrees) 10°			
Antenna Model Number: NA		Receiver Model Number: Hiper+ GGD ✓		Antenna Mount: (Check one)			
Antenna Serial Number: NA		Receiver Serial Number: 251-0539 ✓		Fixed Height Pole: <u>X</u>			
				Slip Leg Tripod: _____			
Antenna Manufacturer: Topcon		Antenna Height (see back of form)		Session Start:			
				Meters Feet			
		A = Datum point to top of Tripod (tripod height)		2.003 2.003			
Receiver Manufacturer: Topcon		B = Additional Offset to ARP (Tribrach, etc.)		∅ 0			
		H = A + B (Antenna Height) = Datum Point to ARP		2.003 2.003			
>>>>> A EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<							
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F C	Wet- Bulb Temp. F C	Rel. % Humidity	Atm. Pressure Inches Millibar	Weather Codes
Part Number:	Start	7:23 AM					00000
Serial Number:	Middle						
Psychrometer	End	10:14 AM					00000
	Average of Readings						
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? Y / (N) (Circle One) Gila Tripod 5 ✓							
						Log Checked By: TAMIETTI	

GPS Observation Log

Station Name: SLOAN(Session 2) PID: DG5008		Date: 07/13/04	Day Number: 195	4-Char ID:						
Location: Gentry MT USGS Quad, Gila County, Arizona		Observer: TAMIETTI	Obs. Agency: GILA COUNTY							
Latitude: 34 0' 30.04 N		Longitude: 110 47' 20.11 W		Height:						
Session Start: UTC / Local 1715 / 10:15 AM		Scheduled Start: UTC / Local 1730 / 10:30 AM		Recording Interval: (Seconds) 15						
Session End: UTC / Local 1944 / 12:44 PM		Scheduled End: UTC / Local 1930 / 12:30 PM		Elevation Mask: (Degrees) 10°						
Antenna Model Number: NA		Receiver Model Number: Hiper+ GGD		Antenna Mount: (Check one)						
Antenna Serial Number: NA		Receiver Serial Number: 251-0539		Fixed Height Pole: <u>X</u> Slip Leg Tripod: _____						
Antenna Manufacturer: Topcon	Antenna Height (see back of form)		Session Start: Meters Feet		Session End: Meters Feet					
	A = Datum point to top of Tripod (tripod height)		2.003		2.003					
	B = Additional Offset to ARP (Tribrach, etc.)		ϕ		ϕ					
Receiver Manufacturer: Topcon	H = A + B (Antenna Height) = Datum Point to ARP		2.003		2.003					
	>>>>> A EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<									
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp. F C		Wet- Bulb Temp. F C		Rel. % Humidity	Atm. Pressure Inches Millibar		Weather Codes
	Part Number:	Start								00000
	Serial Number:	Middle								
Psychrometer	End									00000
	Average of Readings									
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? Y / (N) (Circle One) Gila Tripod 5										
										Log Checked By: 

GPS Observation Log

Station Name: SLOAN(Session 3) PID: DG5008		Date: 07/13/04	Day Number: 195	4-Char ID:						
Location: Gentry MT USGS Quad, Gila County, Arizona			Observer: TAMIETTI	Obs. Agency: GILA COUNTY						
Latitude: 34 0' 30.04 N		Longitude: 110 47' 20.11 W		Height:						
Session Start: UTC / Local 1946 / 12:46 PM		Scheduled Start: UTC / Local 2000 / 01:00 PM		Recording Interval: (Seconds) 15						
Session End: UTC / Local 2215 / 3:15 PM		Scheduled End: UTC / Local 2200 / 03:00 PM		Elevation Mask: (Degrees) 10°						
Antenna Model Number: NA		Receiver Model Number: Hiper+ GGD ✓		Antenna Mount: (Check one)						
Antenna Serial Number: NA		Receiver Serial Number: 251-0539 ✓		Fixed Height Pole: <u> X </u>						
				Slip Leg Tripod: <u> </u>						
Antenna Manufacturer: Topcon ✓	Antenna Height (see back of form)		Session Start:		Session End:					
			Meters	Feet	Meters	Feet				
	A = Datum point to top of Tripod (tripod height)		2.003		2.003					
Receiver Manufacturer: Topcon	B = Additional Offset to ARP (Tribrach, etc.)		\emptyset		0					
	H = A + B (Antenna Height) = Datum Point to ARP		2.003		2.003					
>>>>> A EVERYTHING ABOVE MUST BE FILLED OUT. 7 <<<<<<										
Barometer: Manufacturer	Weather Data	Time (UTC)	Dry-Bulb Temp.		Wet- Bulb Temp.		Rel. % Humidity	Atm. Pressure		Weather Codes
			F	C	F	C		Inches	Millibar	
	Part Number:	Start								
Serial Number:	Middle									
Psychrometer	End									00010
	Average of Readings									
Remarks, Comments on Problems, Sketches, etc: Antenna Set to True North? Y / (N) (Circle One) Gila Tripod 5 ✓										
										Log Checked By: JAA